


U-profile Front Panel, Shieldable, D-Sub Cutouts, 3 U, 4 HP, 1 x 9 Pin

Power Utilities

KATALOGNUMMER

30849-749



U-profile front panel with cutout for D-Sub connectors. Shieldable for textile EMC gasket.

ZERTIFIZIERUNGEN



MERKMALE

U-profile, front panel, Aluminum, 2.5 mm, front anodized, rear conductive

For EMC textile gasket

PRODUKTMERKMALE

Produkttyp: Frontplatte

Typ: Frontplatte ohne Griff

Befestigung: Anschraubbare Front

EMV-Schirmung: Nein (nachrüstbar)

Typ Dichtung: Textile

Material: Aluminium

Frontbeschichtung: Eloxiert

Oberfläche Rückseite: Leitend

Behandelte Kanten: Nein

Höhe Gestell: 3 U

Höhe: 128.4 mm

Breite Gestell: 4 HP

Breite: 20 mm

Entspricht: IEC 60297-3-101; IEEE 1101.1/10

Anzahl Verpackungen: 5

ZUSÄTZLICHE PRODUKTDETAILS

Please order fixing material (sleeves, collar screws) separately.

Delivery is in standard pack multiples. Pricing is per individual item.

Please order textile EMC gasket separately.

Please take into consideration that deliveries may be carried out in the stated SPQs (SPQ, e.g. 5 pieces, 10 pieces, 50 pieces, etc.). Differing order quantities (e.g. 2 pieces) may be changed to the next possible delivery quantity = Standard Pack Quantity.

WARNUNG

nVent-Produkte müssen in Übereinstimmung mit den Produktinformationsblättern und dem Schulungsmaterial von nVent installiert und verwendet werden. Informationsblätter sind verfügbar unter www.nVent.com sowie bei Ihrem nVent-Kundendienstvertreter. Unsachgemäße Installation, Missbrauch, Fehlanwendung oder andere Handlungen im Widerspruch zu den Anweisungen und Warnungen von nVent können zu Fehlfunktionen, Anlagenschäden, schwerer Körperverletzung sowie zum Tod führen und/oder haben die Annullierung der Garantie zur Folge.



Unser starkes markenportfolio:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE

Dieses Dokument ist systemgeneriert.