

FS66S Floor-Mount Enclosure



These enclosures are used in machine tool applications for housing motor starters, drives, contactors and PLCs, as well as a wide variety of other electrical and electronic equipment. The addition of 19-in rack-mounting accessories makes these enclosures ideal for providing rugged protection for sensitive rack-mounted components in harsh industrial environments. These enclosures are used extensively in oil and gas, automotive, pulp and paper, wood products, textile and similar industries.

INDUSTRY STANDARDS

UL 508A Listed; Type 3R, 4, 4X, 12; File No. E61997 cUL Listed per CSA C22.2 No 94; Type 3R, 4, 4X, 12; File No. E61997

NEMA/EEMAC Type 3, 3R, 4, 4X, 12

FEATURES

Seams continuously welded and ground smooth; no holes or knockouts

Provided with removable centerposts for easy panel installation

Heavy-duty Type 316 stainless steel lifting eyes

Heavy-duty three-point latching mechanism operated by Type 316 stainless steel padlocking handle

Latch rods have rollers for easier door closing

Seamless foam-in-place gasket assures a watertight and dust-tight seal

Body flange trough collar excludes liquids and contaminants

Removable hidden hinges providing up to a 130-degree door opening

Reversible door with bonding provision

Internal grid mounting system and MI9 compatible

Floor-mount holes at each corner on bottom

One- to Four-Door Single or Dual Access

SPECIFICATIONS

Finish: Brushed #4

Stainless Steel 304 Material:

| Table 1/1 | | | | | | | |
|----------------|--------|--------|-------|-----------|-------------------|------------|--|
| Catalog Number | Height | Width | Depth | Thickness | Subpanel Quantity | Quick Ship | |
| FM1506044SH1S | 1500mm | 600mm | 400mm | 2mm | 1 | No | |
| FM1506054SH1S | 1500mm | 600mm | 500mm | 2mm | 1 | No | |
| FM1512044SH1S | 1500mm | 1200mm | 400mm | 2mm | 1 | No | |
| FM1512054SH1S | 1500mm | 1200mm | 500mm | 2mm | 1 | No | |
| FM1806054SH1S | 1800mm | 600mm | 500mm | 2mm | 1 | No | |
| FM1814064SH2S | 1800mm | 1400mm | 600mm | 2mm | 2 | No | |
| FM2006054SH1S | 2000mm | 600mm | 500mm | 2mm | 1 | No | |
| FM2006064SH1S | 2000mm | 600mm | 600mm | 2mm | 1 | No | |
| FM2008064SH1S | 2000mm | 800mm | 600mm | 2mm | 1 | No | |
| FM2010054SH1S | 2000mm | 1000mm | 500mm | 2mm | 1 | No | |
| FM2010064SH1S | 2000mm | 1000mm | 600mm | 2mm | 1 | No | |
| FM2012064SH1S | 2000mm | 1200mm | 600mm | 2mm | 1 | No | |
| FM2108084SH1S | 2100mm | 800mm | 800mm | 2mm | 1 | No | |
| FM2116064SH2S | 2100mm | 1600mm | 600mm | 2mm | 2 | No | |
| FM2116084SH2S | 2100mm | 1600mm | 800mm | 2mm | 2 | No | |
| FM2206054SH1S | 2200mm | 600mm | 500mm | 2mm | 1 | No | |
| FM2206064SH1S | 2200mm | 600mm | 600mm | 2mm | 1 | No | |

| Catalog Number | Height | Width | Depth | Thickness | Subpanel Quantity | Quick Ship |
|----------------|--------|--------|--------|-----------|-------------------|------------|
| FM2208084SH1S | 2200mm | 800mm | 800mm | 2mm | 1 | No |
| FM2210054SS1S | 2200mm | 1000mm | 500mm | 2mm | 1 | No |
| FM2210064SS1S | 2200mm | 1000mm | 600mm | 2mm | 1 | No |
| FM2319104SS2S | 2300mm | 1900mm | 1000mm | 2mm | 2 | No |
| FM2340104SS4S | 2300mm | 4000mm | 1000mm | 2mm | 4 | No |
| FM1506044SS1S | 1500mm | 600mm | 400mm | 2.5mm | 1 | No |
| FM1506054SS1S | 1500mm | 600mm | 500mm | 2.5mm | 1 | No |
| FM1512044SS1S | 1500mm | 1200mm | 400mm | 2.5mm | 1 | No |
| FM1512054SS1S | 1500mm | 1200mm | 500mm | 2.5mm | 1 | No |
| FM1806054SS1S | 1800mm | 600mm | 500mm | 2.5mm | 1 | No |
| FM1814064SS2S | 1800mm | 1400mm | 600mm | 2.5mm | 2 | No |
| FM2006054SS1S | 2000mm | 600mm | 500mm | 2.5mm | 1 | No |
| FM2006064SS1S | 2000mm | 600mm | 600mm | 2.5mm | 1 | No |
| FM2008064SS1S | 2000mm | 800mm | 600mm | 2.5mm | 1 | No |
| FM2010054SS1S | 2000mm | 1000mm | 500mm | 2.5mm | 1 | No |
| FM2010064SS1S | 2000mm | 1000mm | 600mm | 2.5mm | 1 | No |
| FM2012064SS1S | 2000mm | 1200mm | 600mm | 2.5mm | 1 | No |
| FM2108084SS1S | 2100mm | 800mm | 800mm | 2.5mm | 1 | No |
| FM2116064SS2S | 2100mm | 1600mm | 600mm | 2.5mm | 2 | No |
| FM2116084SS2S | 2100mm | 1600mm | 800mm | 2.5mm | 2 | No |

| Catalog Number | Height | Width | Depth | Thickness | Subpanel Quantity | Quick Ship |
|----------------|--------|--------|--------|-----------|-------------------|------------|
| FM2206054SS1S | 2200mm | 600mm | 500mm | 2.5mm | 1 | No |
| FM2206064SS1S | 2200mm | 600mm | 600mm | 2.5mm | 1 | No |
| FM2208084SS1S | 2200mm | 800mm | 800mm | 2.5mm | 1 | No |
| FM2210054SH1S | 2200mm | 1000mm | 500mm | 2.5mm | 1 | No |
| FM2210064SH1S | 2200mm | 1000mm | 600mm | 2.5mm | 1 | No |
| FM2319104SH2S | 2300mm | 1900mm | 1000mm | 2.5mm | 2 | No |
| FM2340104SH4S | 2300mm | 4000mm | 1000mm | 2.5mm | 4 | No |

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN SCHROFF TRACHTE ILSCO