

Outdoor Comline ECL Cabinet

Power Utilities



Telecom and Railway applications require sophisticated electronics in outdoor setups. nVent SCHROFF Outdoor cabinets shield such electronic components from extreme weather and vandalism ensuring operational continuity.

CERTIFICATIONS



FEATURES

IP 55

Heat dissipation through natural convection

Single wall, lightweight aluminium cabinet

SPECIFICATIONS

Table 1/2							
Catalog Number	Product Type	Product Family	Rack Height	Height	Width	Depth	
12349-001	Outdoor Cabinet	Comline ECL	12 U	600 mm	600 mm	500 mm	
12349-009	Outdoor Cabinet	Comline ECL	12 U	600 mm	600 mm	500 mm	
12349-002	Outdoor Cabinet	Comline ECL	18 U	900 mm	600 mm	500 mm	

CatalogNumber	Product Type	Product Family	Rack Height	Height	Width	Depth
12349-003	Outdoor Cabinet	Comline ECL	18 U	900 mm	700 mm	600 mm
12349-010	Outdoor Cabinet	Comline ECL	18 U	900 mm	600 mm	500 mm
12349-011	Outdoor Cabinet	Comline ECL	18 U	900 mm	700 mm	600 mm
12349-004	Outdoor Cabinet	Comline ECL	25 U	1200 mm	700 mm	600 mm
12349-012	Outdoor Cabinet	Comline ECL	25 U	1200 mm	700 mm	600 mm

Table 2/2							
Catalog Number	Wall Type	Door Type	Access	Cooling	EMC Shielding	Complies With	
12349-001	Single Walled	Single Door	Front	Natural Convection	No	IEC 61969-1, IEC 61969-2, IEC 60917-1, IEC 60917-2, ETS 300119, IEC 60529, DIN EN 50178, VDE 0160	
12349-009	Single Walled	Single Door	Front	Natural Convection	No	IEC 61969-1, IEC 61969-2, IEC 60917-1, IEC 60917-2, ETS 300119, IEC 60529, DIN EN 50178, VDE 0160	
12349-002	Single Walled	Single Door	Front	Natural Convection	No	IEC 61969-1, IEC 61969-2, IEC 60917-1, IEC 60917-2, ETS 300119, IEC 60529, DIN EN 50178, VDE 0160	
12349-003	Single Walled	Single Door	Front	Natural Convection	No	IEC 61969-1, IEC 61969-2, IEC 60917-1, IEC 60917-2, ETS 300119, IEC 60529, DIN EN 50178, VDE 0160	

CatalogNumber	Wall Type	Door Type	Access	Cooling	EMC Shielding	Complies With
12349-010	Single Walled	Single Door	Front	Natural Convection	No	IEC 61969-1, IEC 61969-2, IEC 60917-1, IEC 60917-2, ETS 300119, IEC 60529, DIN EN 50178, VDE 0160
12349-011	Single Walled	Single Door	Front	Natural Convection	No	IEC 61969-1, IEC 61969-2, IEC 60917-1, IEC 60917-2, ETS 300119, IEC 60529, DIN EN 50178, VDE 0160
12349-004	Single Walled	Single Door	Front	Natural Convection	No	IEC 61969-1, IEC 61969-2, IEC 60917-1, IEC 60917-2, ETS 300119, IEC 60529, DIN EN 50178, VDE 0160
12349-012	Single Walled	Single Door	Front	Natural Convection	No	IEC 61969-1, IEC 61969-2, IEC 60917-1, IEC 60917-2, ETS 300119, IEC 60529, DIN EN 50178, VDE 0160

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE