

Stub Down, ENT



The nVent CADDY Reinforced Conduit Stub Down (ENT) is a fast and secure method to install ENT to concrete formwork. Designed to guard against damage and prevent loss of raceways during a concrete pour, the ENT series eliminates the need for additional support during installation. Achieve confidence on-the-job knowing your conduit layout will remain in its desired configuration after the concrete deck is finished.

FEATURES

Integrated reinforcing stand - resists up to 200lbs of force

Generous radius for ease of wire pull - 50% less force required


Threaded opening designed for standard fittings

No fish tape hang ups

SPECIFICATIONS

Table 1/1					
Catalog Number	Material	Height (H)	Length (L)	Width (W)	Thread Size (TS)
RSD075F	Polyvinylchloride	92.964 mm	215.138mm	96.012 mm	3/4" NPSM
RSD100F	Polyvinylchloride	91.694 mm	209.804mm	101.6 mm	1" NPSM

DIAGRAMS





WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper

installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America

+1.800.753.9221 Option 1 – Customer Care Option 2 – Technical Support

Europe

Netherlands: +31 800-0200135 France: +33 800 901 793

Europe

Germany: 800 1890272 Other Countries: +31 13 5835404

APAC

Shanghai: + 86 21 2412 1618/19 Sydney: +61 2 9751 8500



Our powerful portfolio of brands:

CADDY

ERICO

HOFFMAN

ILSCO

SCHROFF

TRACHTE



©2025 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without notice.