


# Fire Sprinkler Hanging & Seismic Bracing Products

Innovative Hanging & Seismic Bracing Fire Protection Solutions







# Table of Contents

- nVent CADDY Fire Sprinkler and Seismic Bracing Solutions ..... 4**
- Specifying a Trusted Solution –  
nVent CADDY Seismic Bracing Software ..... 5**
- Building a Complete Solution with Engineering  
Support Services ..... 5**
- What’s New to nVent CADDY Rigid Seismic Bracing ... 6**
- What’s New to nVent CADDY Cable Seismic Bracing... 7**
- nVent CADDY Rigid Bracing System..... 8**
- nVent CADDY Branch Line Restraint System ..... 9**
- nVent CADDY Cable Bracing System..... 10**
- Cable Bracing Accessories and Tools ..... 11**
- What’s New in Pipe Hanging and Support Solutions  
from nVent CADDY ..... 12**
- nVent CADDY CPVC Hanging System ..... 14**
- nVent CADDY Rod Lock ..... 16**
- nVent CADDY Structural Attachments, Hardware  
and Anchors ..... 18**

**See how easy it is to install our  
nVent CADDY products.**

**Watch videos on our fire and  
seismic applications**



# nVent CADDY Fire Sprinkler and Seismic Bracing Solutions

To help ensure the availability and operation of safety systems after an earthquake event, many building and industry codes now include requirements for the design and installation of seismic sway bracing for non-structural components, such as fire sprinkler, mechanical, electrical and plumbing systems. The innovative line of nVent CADDY Bracing Systems was developed to help keep fire sprinkler systems intact after a seismic event and to minimize water damage resulting from leaks or ruptures.

Bracing Systems provide contractors with high-quality, engineered solutions, which include rigid bracing, cable bracing and rod stiffeners.

## FEATURES:

- Quick and easy installation
- Lower total installed cost
- OSHPD® Pre-Approved
- cULus® Listed
- Meets NFPA® 13
- FM® Approved
- KFI Approved
- Aon Fire Protection Approved





# Specifying a Trusted Solution – nVent CADDY Seismic Bracing Software




Now it's easier than ever to select the correct bracing products for use in fire protection applications. nVent CADDY Bracing Systems Calculator is a web-based calculator which allows users to create and save designs for multiple projects while providing the necessary submittal forms. This time-saving calculator simplifies the selection of products and provides the necessary engineering calculations – providing a complete solution to support rigid bracing, cable bracing and branch line restraints.

## FEATURES:

- 3D models
- No installation needed – access via a current web browser
- Offers dynamic design preview and uses visual design tools
- Generates a complete submittal for NFPA® or FM designs
- Create, manage, and re-use designs
- Supports NFPA® 13 including 2013 ed., IBC® and other building codes
- Ability to generate a material list (bill of material) with nVent CADDY products as well as other required materials (pipe, anchors, etc.)



## Building a Complete Solution with Engineering Support Services



The nVent CADDY team makes seismic simple by:

- Working with you to design a turn-key, fully engineered, complete bracing system that meets your needs
- Identifying the appropriate products from the broad offering
- Offering compatible fixing, fastening and support products
- Explaining installation techniques and tips to meet the evolving codes and standards requirements

From design to construction to inspection, we keep our process transparent to ensure a full understanding of the final bracing installation, whether it requires cable or rigid bracing solutions.



# What's New to nVent CADDY Rigid Seismic Bracing

nVent CADDY is an industry leader in seismic bracing solutions. With the introduction of our stamped seismic offering and our established clamps, brackets and innovative telescoping solutions, we help contractors work smarter by enhancing safety, reliability and ease of use while reducing lead and installation times.


## CSBS – STEEL FLANGE ADAPTER



Low profile easily fits into tight spaces




Includes spring retainer clip




Pre-assembled version available

## CSB UNIVERSAL SWAY BRACE




Used in both lateral and longitudinal sway brace applications, the unique slotted holes provide for an easy slip-on installation that eliminates loose hardware. Now featuring both snap-off nuts and bolt head, making installation and inspection of seismic sway braces a breeze.

## CSBU UNIVERSAL STRUCTURAL BRACKET



Integrated angle gauge easily displays brace member angle of installation

## CSBT TELESCOPING LATERAL BRACE



This is a complete lateral brace solution that works with 25 NB to 100 NB service pipe, including CPVC. A telescoping brace member eliminates the need to measure and cut pipe and combines with a push-to-install v-bolt head making installations up to 80% faster than standard bracing.

Available in select countries

**Learn how to reduce install time.**  
**Watch our Lateral Telescoping Brace Assembly video.**

For more videos scan here

## CSBQG AND CSBIK QUICK GRIP LATERAL SWAY BRACES



These lateral braces feature an easy two-step installation that minimizes extra trips between structure and the service pipe. The unique quick attachment eliminates the need of cutting brace pipe to exact dimensions and accommodates both 25 NB and 32 NB brace pipe sizes in a single product.

Learn more about our Rigid Bracing Solutions on page 8.

# What's New to nVent CADDY Cable Seismic Bracing

Cable Seismic Bracing is a NFPA® 13 approved solution that offers added design flexibility in instances where there are long drops from structure, a congested ceiling where access to structure is limited, and where a more visually integrated solution is needed in open ceiling construction.

- Effective end of branch line restraint to meet these newer requirements
- Compact, space saving solution, that is easy to move around job site

## BATTERY OPERATED TOOL



Speeds and eases both bracing and branch line restraint installation. Provides consistent swaging and reduces the number of swages per sleeve compared to manual tools.




## NO PRY CLIP



A structural attachment that maximizes the load capacity on a post-installed concrete anchor by neutralizing the prying effect from the cable load. This increases the allowable design load per anchor and results in the need for fewer bracing locations.

## QUICK CLIP ROD STIFFENER



A tool-free rod stiffener that quickly and easily snaps into place, securing a threaded rod to a strut channel to prevent buckling from up thrust forces.

**Learn about our bracing tools.  
Watch our Quick Clip Rod Stiffener video.**

**Watch our Quick Clip Rod Stiffener video.**



For more videos  
scan here

Learn more about our Cable Bracing Solutions on page 10.

# nVent CADDY Rigid Bracing System

The nVent CADDY line of innovative rigid bracing products was designed to provide superior performance and meet the highest seismic load requirements. The products have been designed with the end user in mind and provide contractors with labor-saving features to promote quick and easy installation. The adjustable design can be used with different brace pipe sizes, providing flexibility on the jobsite and reducing contractor inventory. The system of products supports lateral and longitudinal bracing and offers a wide range of structural and pipe attachments.

## FEATURES:

- Patent-pending lateral braces eliminate need for multiple trips up and down ladders
- Snap-off bolt heads help make installation and inspection quick and easy
- Single wrench size installs all products
- Multiple finishes available, including hot dipped galvanized parts, suitable for a broader range of applications
- Unique slotted holes for an easy slip-on installation
- Low profile for minimum prying effect on concrete fasteners
- Integrated angle gauge easily displays angle of installation
- cULus® Listed and FM® Approved
- OSHPD® Pre-Approved (OPA-2629-0) to the 2010 California Building Code, (OPM-0062-13) to the 2013 California Building Code and (OPM-0542-19) to the 2019 California Building Code



Steel Flange Adapter  
**CSBS#N(1,2)**



Steel Flange Adapter Assembly  
**CSBS1AN**



Adjustable I-Beam Adapter  
**CSBS#N(3,4,5)**



Multi Attachment  
**CSBMA#####\*\***



Universal Structural Bracket  
**CSBU#N(1,2)**



Universal Sway Brace  
**CSB####N**



Lateral Telescoping  
Brace Assembly  
**CSBT#**



Quick Grip Jr. Lateral Sway Brace  
**CSBQIKCL###EG**



Quick Grip Lateral  
Sway Brace ("QG")  
**CSBQG###EG**

#### = Sprinkler pipe size  
\*\* = Finish - ie EG  
🌐 = Only available in select countries  
CSBQG**0400**EG = 100 NB pipe size, Electrogalvanized  
HD finish options available



# nVent CADDY Branch Line Restraint System

Traditional methods for installing branch line restraints in fire sprinkler systems are cumbersome and time-consuming. Contractors often cut (and re-cut) threaded rod to precise measurements to restrain the sprinkler pipe with a loop hanger and surge restraint. Traditional methods also commonly require five or more parts per restraint.

To avoid these labor-intensive methods, nVent CADDY has streamlined the process and developed the Branch Line Restraint System, part of the line of hanging and bracing solutions for the fire protection market. Ideal for restraining 25 NB through 50 NB branch lines, this innovative system is significantly faster and easier to install than current methods. It attaches directly to steel bar joists, I-beams or purlins, as well as concrete and wood structures. The hardware is installed with only one tool, a 5/16" socket drill driver, which provides significant labor savings and convenience. It features a simple, two-step installation process, allowing a time savings of up to 80% compared to other methods.

Unlike most solutions that only accept M10 threaded rod, the versatile Branch Line Restraint System features a swivel attachment that can be rotated to accept M10 or M12

threaded rod. This allows greater restraint distances from the pipe to structure with M12 threaded rod.

The system meets the requirements of NFPA® 13, making it ideal for new construction applications. The total system is cULus® Listed and FM® Approved, and has been pre-approved by the state of California (OSHPD OPA-2629-10 & OPM-0062-13).

## FEATURES:

- Complete restraint system includes structure and pipe attachments
- Works with M10 and M12 threaded rod
- Quick and easy installation
- Meets NFPA® 13
- cULus® Listed and FM® Approved
- Pipe attachment includes snap-off heads help make installation and inspection quick and easy
- OSHPD® Pre-approved



## WIDE RANGE OF STRUCTURAL ATTACHMENTS:



## PIPE ATTACHMENT:



Branch Line Restraint  
Pipe Attachment  
**CSBBRP####EG**



Branch Line Restraint Structure  
Attachment to Steel  
**CSBBS1EG**



Branch Line Restraint Structure  
Attachment to Wood/Concrete  
(No seismic approval in concrete)  
**CSBBS2EG**



Branch Line Restraint Structure  
Attachment to Threaded Hole  
(Concrete anchor, beam clamp,  
through bolt steel)  
**CSBBS3EG**

#### = Sprinkler pipe size  
\*\* = Finish - ie EG



CSBBRP**0150**EG = 40 NB pipe  
size, ElectroGalvanized

# nVent CADDY Cable Bracing System

nVent CADDY Cable Bracing is an alternative to rigid bracing and branch line restraint for fire sprinkler systems and is very effective when bracing is required on long drops or when confined/crowded spaces make rigid systems difficult to install. The system includes pre-stretched steel cable, attachment fittings, crimping sleeves and related tools. The system can also be used to brace electrical, mechanical and plumbing systems.

## FEATURES:

- Color-coated cable conforms to NFPA® 13 requirements and makes it highly visible and easier to identify cable sizes
- UL® Listed
- OSHPD® Pre-Approved (OPA-0619)



## #12 CABLE



Cable Spool  
**CSB12CBL\*\***



URC Attachment Kit  
**CSB2W12URC38L12 ##**



Wire Rope Cutter  
**SLWC**

## #18 CABLE



Cable Spool  
**CSB18CBL\*\***



URC Attachment Kit  
**CSB2W12URC38L18 ##**



Wire Rope Cutter  
**SLWC**

Stainless steel options are available in cable bracing for high corrosion and outdoor applications.

## #36 CABLE



Cable Spool  
**CSB36CBL\*\***



URC Attachment Kit  
**CSB2W12URC38L36 ##**




Cable Cutter  
**CSBC48**

🌐 = Only available in select countries

# Cable Bracing Accessories and Tools

Gain confidence while installing cable bracing solutions with our supporting line of tools and accessories. Knowing you are using the right tools eliminates guesswork and rework on any project.



Crimping Sleeve  
**CSB##SLVB\*\***



No Pry Clip  
**CSBNPC##**




Universal Restraint Clip  
**CSBURC###\*\***



Universal Restraint Clip, Retrofit  
**CSBURCR##**




Strut Seismic Hinge  
**CSBSH#####\*\***



Strut Rod Stiffener  
**CSBRS37EG**



Quick Clip Rod Stiffener  
**CSBRS#**



Shear Bolt  
**CSBBARJSB50EG,  
CSBIBSB50EG,  
CSBUNIVSB62EG**

**###** = pipe size with multiple sizes available  
**\*\*** = Finish - ie EG, SS for Stainless  
 = Only available in select countries  
 CSBSH**00500**EG = 14 mm hole size, Electrogalvanized

## CUTTING AND SWAGING TOOLS



Manual Swaging Tool  
**CSB12SBHS**

Works with Brace  
Size 12



Multi-Size Manual Swaging Tool  
**CSB3346SB**

Works with Brace  
Size 12, 18, 36



Battery-Operated Swaging Tool  
**CSBB121836**

Works with Brace  
Size 12, 18, 36

**Learn more about nVent CADDY cable bracing accessories by visiting our YouTube Channel.**

**Watch our Single Pipe Cable Bracing video.**  
**Watch our Quick Clip Rod Stiffener video.**

For more videos  
scan here



# What's New in Pipe Hanging and Support Solutions from nVent CADDY

Pipe hangers have often been difficult to differentiate between brands, historically. Products on the market adequately hold pipe, but have not undergone any innovation in decades. However, the nVent CADDY product development team is always working to make products faster, safer and easier to install. Our family of products offers unique benefits to the installer and together they are designed to be the most comprehensively innovative offering on the market.



## 100T HEAVY DUTY TRAPEZE LOOP HANGER

- Provides flexibility for installation in tight spaces and adaptability in system design
- NFPA®-compliant as a trapeze solution
- UL® Listed and FM® approved as both hanger and structural attachment
- Supports up to 8" diameter pipe
- Ideal for suspending stationary non-insulated lines from existing services
- Perfect for when you have limited or no access to traditional structural members
- Installs easily in orientations such as parallel to an I-beam or bar joist



## DROP-IN LOOP HANGER

- Next generation loop hanger revolutionizes the installation of pipe
- Once on the guide arm, the weight of the pipe opens the self-closing latch and effortlessly guides the pipe into place
- Integrated rubber sleeve is designed to provide additional grip when adjusting hanger height and reduce hanger rotation around the barrel nut
- Eliminates the need to disassemble the hanger during installation

 Available in select countries



## EZ RISER

- Support vertical pipe quickly and easily by combining three parts into one: a standard riser; a short ear riser; and a stand-off support
- Ready to install out of the box with patented hinge single-piece design
- Single tool installation made possible by carriage bolts eliminating the need for multiple tools when tightening
- Installs up to 60% faster than standard riser clamps (5 EZR's for every 2 traditional riser)
- MSS SP58 compliant and UL® Listed for fire protection applications
- Easily modified to short ear riser for use in tight spaces while retaining UL® listing
- Independent set of bolt holes allow for safer and easier installation in stand-off applications by separating clamping force from offset adjustment

# nVent CADDY Pipe Hangers

nVent CADDY Pipe Hangers are designed to make installation easier. Surge restraint, drop clearance and rolled edges are just a few of the features this solution offers.



115 Standard Duty Loop Hanger  
**115####\*\***



Drop In Loop Hanger  
**DH####EG**



Surge Restraint  
**SR6**



EPB Plus Loop Hanger  
**EPB####**



EPB Loop Hanger  
**EPB####**



CNC 2-Screw Clamp  
**CNC##**




EPB Pear Band



DH Surge Restraint  
**SR####EG**



Macrofix Plus Non-Insulated  
**MFZ###**



Yook Hanger  
**135####\*\***



105 Stainless Steel Loop Hanger  
**105####S\***



401 Galvanized Clevis Hanger  
**401####\*\***



410 Light Duty Clevis Hanger  
**410####EG\***



EZ Riser  
**EZR####**



512 EZ RISER for Close Quarters  
**512####EG**



510 EZ RISER  
**510####\*\***



ERIC15 Saddle  
**ERIC15###**




ERIC16 Medium Duty Clamp  
**ERIC16###**



ERIC18 Medium Duty Clamp  
**ERIC18###**



CLS Two Hole Shallow Saddle  
**CLS##**



#### = pipe size

\*\* = Finish - ie EG

🌐 = Only available in select countries

115**0400**EG = 100 NB pipe size, Electrogalvanized

Learn more about nVent CADDY pipe hanging and support solutions by visiting our YouTube Channel.

Watch our Drop-In Loop Hanger video.  
Watch our EZ Riser video.

For more videos scan here



# nVent CADDY CPVC Hanging System

nVent CADDY provides multiple options for hanging CPVC pipes. All of these come with mounting screws to save installation time and make the job more efficient.



## SOSR TWO HOLE STAND OFF STRAP

- Includes flared edges to protect piping
- Rated for use with CPVC fire sprinkler pipe
- Positions pipe 38 mm off the mounting surface eliminating the need for wooden spacer blocks
- Can be mounted in both vertical and horizontal positions on concrete, steel and wood
- Meets the UL® 203 stringent upward thrust requirement
- UL® Listed as both a hanger and pipe restrainer
- Complies with static load requirements of NFPA® 13
- Includes mounting screws
- Can be used with 3TW backing nut on composite wood joist installations



## DOSR DOUBLE OFFSET SURGE RESTRAINT

- Provides quick and easy snap-in installation of pipe
- Built-in nail tab allows for fast, temporary mounting to any surface
- Rated for use with CPVC fire sprinkler pipe
- Positions pipe 38 mm out and up from the mounting surface eliminating the need for wooden spacer blocks
- Meets the UL® 203 stringent upward thrust requirement
- UL® Listed as both a hanger and restraint in the double offset orientation
- Complies with static load requirements of NFPA® 13
- Includes mounting screws
- Can be used with 3TW backing nut on composite wood joist installations

 Available in select countries only



## MACROFIX PLUS NI EZ WITH EASY CLOSURE


- Contains easy closing mechanism
- Plastic washers help prevent crushing the CPVC or plastic pipe and assure a floating fit
- Flared edges and specially designed welding area help protect CPVC piping
- Ideal for installations where space is limited and require services to be ran close to the attachment surface
- Suitable for 20 NB–50 NB steel sprinkler pipe
- Eliminates the need to seismically brace when drops are kept within 152 mm of the attachment surface
- Combo head bolt works with slotted, hex, or Phillips drivers
- Conforms with Manufacturers Standardization Society (MSS) SP-58 (Type 12)
- Meets the UL® 203 stringent upward thrust requirement
- UL® Listed as both a hanger and pipe restrainer



107 Wraparound Strap for CPVC Pipe  
**107####EG**




108 2-Hole Strap for CPVC Pipe  
**108####EG**



109 Side Mount Strap for CPVC Pipe  
**109####EG**



SOSR Stand Off 2-Hole Strap for CPVC Pipe  
**SOSR###**



Easy Snap Grommet for Factory Punched Holes  
**ESGFP**



Macrofix Plus NI with Easy Closure  
**MPZ###**



Easy Snap Grommet  
**ESGP**

**####** = pipe size \*\* = Finish - ie EG  
SOSR**100** = 25 NB pipe size, Electrogalvanized  
🌐 = Only available in select countries



## nVent CADDY provides Seismic Bracing Solutions for CPVC pipe.

Register for access to our Bracing Systems Calculator to configure and plan for all your bracing needs.



# nVent CADDY Rod Lock

The Rod Lock family of products allows contractors to prefabricate complex assemblies at ground level or offsite, and then easily lift and lock them into place by pushing the threaded rod supports into the Rod Lock device. This ingenious technology works with threaded rod with burrs or imperfections, helping to eliminate clean-up time or the need to replace damaged threaded rod.

The most unique feature of the system is its breakthrough “push-to-install” design, which dramatically reduces the installation time of threaded rod support structures when compared to conventional fasteners. Simply speaking – Rod Lock is revolutionizing how contractors support conduit, cable tray, lights, ductwork and pipe by helping to make installations faster, easier and more secure.

## FEATURES:


- Ideal for complex, multi-tier and multi-service applications
- Lift and lock into place without turning threaded rods
- Available for prefab assemblies



Rod Lock Beam Clamp  
**CRLB##EG**



SNSW Flanged Nut  
**SNSW##**



Rod Lock Anchor Screw  
**CRLA##EG**



SN Series Nut  
**SN##**



Rod Lock Channel Nut  
**CRLS##EG**

**##** = threaded rod size  
**\*\*** = Finish - ie EG



**Learn more about nVent CADDY Rod Lock by visiting our YouTube Channel.**

**Watch our Rod Lock videos.**

For more videos  
scan here





# nVent CADDY Telescoping Pipe Stand

Reduce fabrication and install time with the nVent CADDY Telescoping Pipe Stand. The V-Head design supports pipe diameter of 25 NB through 600 NB and can easily adjust up to 400 mm in height, allowing you to quickly adapt to support needs in the field.

## FEATURES:

- Ideal for the support of pipe in back flow preventers and pump rooms
- Push to install V-bolt fastener accommodates multiple pipe sizes (25 NB to 250 NB)
  - CTS04 supports 25 NB to 200 NB Pipe if the v-bolt is not used
  - CTS10 supports 125 NB to 600 NB Pipe if the v-bolt is not used
- Electro-galvanized finish is standard and provides corrosion protection
- Two methods of height adjustment for both large and fine changes



Telescoping Pipe Stand  
**CTS04**



Telescoping Pipe Stand  
**CTS10**



For applications where the pipe diameter is larger than the v-bolt, a combination of strut and strut clamps/ standard U-bolt can be used to secure the pipe.



 Available in select countries only


## Learn more about our innovative hanger solutions.

**Watch our Truss-T Hanger video.**  
**Watch our Telescoping Pipe Stand video.**

For more videos  
scan here



# nVent CADDY Structural Attachments, Hardware and Anchors



## **300M UNIVERSAL BEAM CLAMP**

- Universal beam clamp for standard beams
- Structural attachment (with infinite adjustment) to top or bottom flange of metal beams to support hanger rod
- Including set screw and lock nut



## **RS RETROFIT RETAINER STRAP**

- Can be installed without disassembly of the hanging system and/or removing the clamp
- Large teardrop-shaped opening is compatible with multiple threaded rod diameters, reducing inventory by 50%
- Coined edge on teardrop-shaped opening locks into rod, eliminating shifting during install
- Complies with NFPA® requirements and meets the UL® load test for retainer straps (M10 and M12 rod sizes)






300M Universal Beam Clamp  
**300####**



310M Universal Beam Clamp,  
Thick Flange  
**310####**




Beam Clamp with Swivel  
**HB2**




35RS Two Hole  
Retainer System  
**035RS####EG**



RS Retrofit Retainer Strap  
**RS##**



Threaded Rod  
**050M####\*\***



EM-HEX Rod Coupler  
**025####EG**



Horizontal Mounting Plate  
**CMP##**




Angle Bracket  
**AB**



Bolt Expansion Anchor  
**SABM####**




BSZ-SU Concrete Screw  
**BSZSU####**



BSZ-M Concrete Screw  
**BSZM####EG**



Drop-In Anchor  
**CAM####**



Standard U-Bolt  
**UB4N####**

#### = Multiple sizes available,  
\*\* = Finish - ie EG

050M103000EG = M10 rod size,  
3000 mm length, electrogalvanized


SABM10050 = M10 thread size.

🌐 = Only available in select  
countries

# Built for Projects, Designed for People

## FOUNDED IN THE USA, SUPPORTED WORLDWIDE

nVent CADDY was founded and is based in the United States, but has a wide global footprint with manufacturing plants throughout North America, Europe and Asia. With a commitment to serving the customer with the best products on the market, the nVent CADDY team maintains visibility into the manufacturing process from start to finish.



## YOUR TEAM IS OUR TEAM

For decades, our product development team has worked with contractors on job sites to understand their challenges and frustrations. The team then applies these observations, developing solutions fitting contractor needs, including ways to reduce time, increase ease of and overall installation. Once a product is developed, the team validates it in the field with our customers. Over the years, nVent CADDY has created a unique relationship with our customers, even creating products named for our most loyal.

nVent CADDY application engineers and product developers spent over 330 days (and counting!) in the field identifying new ways to create efficiencies and end-user value.

## THE BEST TRAINING FOR THE BEST PRODUCTS

nVent CADDY has opportunities for customers to participate in nVent CADDY School, a training session that takes place several times a year, walking users through product installation and benefits. nVent CADDY is also investing in the future by supporting new apprentices as well as those with many years in the field. The nVent CADDY team gets out of the office and into the field to do on-site training and demos for customers as well.



# Customer-Inspired Solutions



nVent CADDY's team of experts take the time to create solutions with the customer and their challenges in mind, as well as trends in the current market. Hours of research, product development and engineering goes into the nVent CADDY products customers know and love.

nVent CADDY products help customers solve problems by creating solutions for their biggest obstacles.



**BUILDING CODE REQUIREMENTS**



**PROJECT CHALLENGES**



**ENVIRONMENTAL FACTORS**



**FIRE SAFETY**



**CRITICAL EQUIPMENT PROTECTION**

nVent CADDY products solve for these challenges and more, while being engineered to be:



## **SAFE**

Many injuries on the job site are the result of falls. nVent CADDY products are designed to move a significant amount of the work previously completed on lifts and ladders to ground level, greatly reducing the risk of injury. Tool-free components also limit the use of potentially dangerous power tools.



## **FAST**

Every part of an nVent CADDY product is meticulously designed to reduce the amount of total installation time. This is done by making the product install quicker than its traditional counterpart as well as creating products that make it easy to prefabricate complex assemblies on the ground or offsite. Limit rework after installation and meet jobsite deadlines using innovative nVent CADDY products.



## **EASY**

nVent CADDY products are designed to incorporate features that make installation easier. nVent CADDY products are designed to have fewer parts, secure hardware and require fewer tools. The benefits of individual products are multiplied when used together as a system solution.


**Products to fit most applications including:**

**ELECTRICAL • DATACOM • FIRE SPRINKLER • MECHANICAL  
HVAC • PLUMBING • ROOFTOP • SEISMIC BRACING**


# Learn More About nVent CADDY

Contact your sales representative for our product catalogs and additional resources, in print and online!

## OUR PRODUCT CATALOGS



Fixing, Fastening & Support Products – APAC




Cable Pathway System Wire Basket Tray



Fixing, Fastening & Support Products – EMEA

## FIND OUR ONLINE RESOURCES



Visit our online resources to learn more about nVent CADDY solutions and products. The website houses brochures, catalogs, product specifics, videos and more.

### Additional resources available include:

- Product information
- Specifications
- Project calculators
- Installation resources
- BIM Library
- Product installation videos and more



Find us on LinkedIn



Find us on YouTube

Find us online at:




Visit our blog:



## Ready to get started with nVent CADDY?

Contact your local sales rep or visit the [Contact Us](https://www.nvent.com/CADDY) page on [nVent.com/CADDY](https://www.nvent.com/CADDY)







### Australia

Unit #E1, 3-29, Birnie Avenue,  
Lidcombe, NSW 2141, Australia  
Tel +61 2 9751 8500  
ausorders@nVent.com

### China

21/F, Innovation Center,  
No.1009 Yishan Road, Shanghai,  
P.R. China 200233  
Tel +86.21.2412.1688  
csrintercoesh@nVent.com

### Hongkong

TYTL 108RP, Sai Tso Wan Road,  
Tsing Yi Island, New Territories,  
Hong Kong  
Tel +852.2764.8808  
csrintercoehk@nVent.com

### India

6th Floor, Jolly Board Tower,  
D-Wing, I-Think Techno Campus,  
Kanjurmarg East-400042,  
Mumbai, India  
Tel +91 7506015393  
ordersefsindia@nVent.com

### Indonesia

Level 3A, Wisma Metropolitan I,  
Jl. Jendral Sudirman Kav. 29-31,  
Jakarta, Indonesia - 12920  
Tel +622125985107

### Korea

5F Derkwoo Building 7,  
Seolleung-ro 94-gil,  
Gangnam-gu, 06061 Seoul,  
South Korea  
Tel +82221297700

### Singapore

390 Havelock Road,  
#04-01 King's Centre,  
Singapore 169662  
Tel +65.67685800  
csrintercoesr@nVent.com

### Europe

Jules Verneweg 75  
5015 BG  
Tilburg, Netherlands  
Tel +31 13 583 5100  
Tel 0800 0200 135



Our powerful portfolio of brands:

**CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE**