

# TTC-1 Alarm Module



nVent RAYCHEM TraceTek TTC-1 module is designed for use with any TraceTek sensing cable, up to 76 m (250 ft) and leak detection is indicated via red LED and relay contacts. It is ideally suited to be easily integrated into centralized monitoring systems for large facilities. Typical applications include monitoring for leaks from individual pieces of equipment such as air-handling units, watercooled machinery, single tanks, pumps, sumps, or other locations where a single length of TraceTek sensing cable is used.

## FEATURES

Simple alarm module with no leak location display, a low cost option

Easy to install and operate, leak detection indication by red LED and relay contacts

Three sets of relay contacts, for remote alarm annunciation and equipment control

## SPECIFICATIONS

Table 1/1

Catalog Number	Item Name	Relay Contacts	Max Exposure Temperature	Height	Width	Depth
698897-000	TTC-1	Leak: 1 DPDT, Form C. Trouble: 1 SPDT, Form C.	50 °C	112 mm	52 mm	106 mm

## WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

**North America**

Tel +1.800.545.6258

Fax +1.800.527.5703

[thermal.info@nvent.com](mailto:thermal.info@nvent.com)

**Europe, Middle East,**

**Africa**

Tel +32.16.213.511

Fax +32.16.213.604

[thermal.info@nvent.com](mailto:thermal.info@nvent.com)

**Asia Pacific**

Tel +86.21.2412.1688

Fax +86.21.5426.3167

[cn.thermal.info@nvent.com](mailto:cn.thermal.info@nvent.com)

**Latin America**

Tel +1.713.868.4800

Fax +1.713.868.2333

[thermal.info@nvent.com](mailto:thermal.info@nvent.com)

Our powerful portfolio of brands:

**RAYCHEM PYROTENAX TRACER NUHEAT**