


Reducer





FEATURES

Reducers are used to reduce to a smaller wireway size

SPECIFICATIONS

Color Code: ANSI 61 Color: Gray Material: Mild Steel Finish: Powder Coated

| Table 1/1 | | | | | | |
|----------------|----------------|---------|--------|-------|-----------|------------|
| Catalog Number | Article Number | Туре | Height | Width | Thickness | Quick Ship |
| F44G22R | 52280 | Reducer | 64mm | 64mm | 1.52mm | No |
| F33G22R | 16657 | Reducer | 64mm | 64mm | 1.52mm | No |
| F44G33R | 15627 | Reducer | 64mm | 64mm | 1.52mm | No |
| F66G44R | 52450 | Reducer | 64mm | 64mm | 1.52mm | No |
| F1010G88R | 46760 | Reducer | 64mm | 64mm | 1.9mm | No |
| F1212G1010R | 41360 | Reducer | 64mm | 64mm | 1.9mm | No |
| F1212G88R | 52000 | Reducer | 64mm | 64mm | 1.9mm | No |
| F88G66R | 52720 | Reducer | 64mm | 64mm | 1.9mm | No |

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

CADDY **ERICO HOFFMAN TRACHTE SCHROFF ILSCO**