

ProLine Solid Tops



Solid Tops are used to close the top opening on an enclosure frame. EMC Solid Tops are finished with paint over plated surfaces. Solid Tops are gasketed and include ground studs. Bolts are included to hold the top in place (lifting eyes can be used instead of bolts).

FEATURES

Solid Tops are finished with paint over plated surfaces

Solid Tops are gasketed and include ground studs

Bolts are included to hold the top in place (lifting eyes can be used instead of bolts)

SPECIFICATIONS

Thickness: 1.52mm

| Table 1/1 | | | | | | | |
|----------------|----------------|------------------------|---------|------------|------------|--------------|--|
| Catalog Number | Article Number | Material | Finish | Color | Color Code | Fits Frame | |
| PT66 | 96570 | Mild Steel | | Light Gray | RAL 7035 | 600 x 600mm | |
| PT66SS | 31809 | Stainless Steel 304 | Brushed | | | 600 x 600mm | |
| PT68SS | 31819 | Stainless Steel 304 | Brushed | | | 600 x 800mm | |
| PT68 | 96580 | Mild Steel | | Light Gray | RAL 7035 | 600 x 800mm | |
| PT85 | 96630 | Mild Steel | | Light Gray | RAL 7035 | 800 x 500mm | |
| PT88SS | 31839 | Stainless Steel 304 | Brushed | | | 800 x 800mm | |
| PT88 | 96650 | Mild Steel | | Light Gray | RAL 7035 | 800 x 800mm | |
| PT64 | 96550 | Mild Steel | | Light Gray | RAL 7035 | 600 x 400mm | |
| PT105 | 96670 | Mild Steel | | Light Gray | RAL 7035 | 1000 x 500mm | |
| PT106SS | 31849 | Stainless Steel 304 | Brushed | | | 1000 x 600mm | |
| PT106 | 96680 | Mild Steel | | Light Gray | RAL 7035 | 1000 x 600mm | |
| PT108SS | 31859 | Stainless Steel 304 | Brushed | | | 1000 x 800mm | |
| PT108 | 96690 | Mild Steel | | Light Gray | RAL 7035 | 1000 x 800mm | |
| PT84 | 96620 | Mild Steel | | Light Gray | RAL 7035 | 800 x 400mm | |
| PT86SS | 31829 | Stainless Steel 304 | Brushed | | | 800 x 600mm | |
| PT86 | 96640 | Mild Steel | | Light Gray | RAL 7035 | 800 x 600mm | |
| PT45 | 25459 | Mild Steel | | Light Gray | RAL 7035 | 400 x 500mm | |
| PT46 | 25469 | Mild Steel | | Light Gray | RAL 7035 | 400 x 600mm | |

| Catalog Number | Article Number | Material | Finish | Color | Color Code | Fits Frame |
|----------------|----------------|------------------------|---------|------------|------------|--------------|
| PT65 | 96560 | Mild Steel | | Light Gray | RAL 7035 | 600 x 500mm |
| PT76 | 96590 | Mild Steel | | Light Gray | RAL 7035 | 700 x 600mm |
| PT78 | 96600 | Mild Steel | | Light Gray | RAL 7035 | 700 x 800mm |
| PT89 | 96660 | Mild Steel | | Light Gray | RAL 7035 | 800 x 900mm |
| PT79 | 96610 | Mild Steel | | Light Gray | RAL 7035 | 700 x 900mm |
| PT104 | 29837 | Mild Steel | | Light Gray | RAL 7035 | 1000 x 400mm |
| PT105HF2 | 11999 | Mild Steel | | Light Gray | RAL 7035 | 1000 x 500mm |
| PT108HF2 | 12019 | Mild Steel | | Light Gray | RAL 7035 | 1000 x 800mm |
| PT124 | 96700 | Mild Steel | | Light Gray | RAL 7035 | 1200 x 400mm |
| PT125 | 96710 | Mild Steel | | Light Gray | RAL 7035 | 1200 x 500mm |
| PT126 | 96720 | Mild Steel | | Light Gray | RAL 7035 | 1200 x 600mm |
| PT126SS | 31869 | Stainless Steel 304 | Brushed | | | 1200 x 600mm |
| PT128 | 96730 | Mild Steel | | Light Gray | RAL 7035 | 1200 x 800mm |
| PT128SS | 31879 | Stainless Steel 304 | Brushed | | | 1200 x 800mm |
| PT164 | 29838 | Mild Steel | | Light Gray | RAL 7035 | 1600 x 400mm |
| PT165 | 96740 | Mild Steel | | Light Gray | RAL 7035 | 1600 x 500mm |
| PT166 | 96750 | Mild Steel | | Light Gray | RAL 7035 | 1600 x 600mm |
| PT168 | 96760 | Mild Steel | | Light Gray | RAL 7035 | 1600 x 800mm |
| PT185 | 25479 | Mild Steel | | Light Gray | RAL 7035 | 1800 x 500mm |
| PT186 | 25489 | Mild Steel | | Light Gray | RAL 7035 | 1800 x 600mm |

| Catalog Number | Article Number | Material | Finish | Color | Color Code | Fits Frame |
|----------------|----------------|------------|--------|------------|------------|--------------|
| PT188 | 29841 | Mild Steel | | Light Gray | RAL 7035 | 1800 x 800mm |
| PT64HF2 | 11879 | Mild Steel | | Light Gray | RAL 7035 | 600 x 400mm |
| PT66HF2 | 11899 | Mild Steel | | Light Gray | RAL 7035 | 600 x 600mm |
| PT68HF2 | 11909 | Mild Steel | | Light Gray | RAL 7035 | 600 x 800mm |
| PT78HF2 | 11929 | Mild Steel | | Light Gray | RAL 7035 | 700 x 800mm |
| PT79HF2 | 11939 | Mild Steel | | Light Gray | RAL 7035 | 700 x 900mm |
| PT84HF2 | 11949 | Mild Steel | | Light Gray | RAL 7035 | 800 x 400mm |
| PT86HF2 | 11969 | Mild Steel | | Light Gray | RAL 7035 | 800 x 600mm |
| PT88HF2 | 11979 | Mild Steel | | Light Gray | RAL 7035 | 800 x 800mm |
| PT89HF2 | 11989 | Mild Steel | | Light Gray | RAL 7035 | 800 x 900mm |

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN SCHROFF TRACHTE ILSCO