

# Varistar CP Seismic Base Plate, IP55, One-Piece

## Power Utilities

The base plate is solid and covers the base of the cabinet.

### FEATURES

The base plate is solid and covers the base of the cabinet

Is assembled from outside

### SPECIFICATIONS

Table 1/2

Catalog Number	Width	Depth	Color	Color Code	Complies With	Material
20630-301	600 mm	600 mm	Black Grey	RAL 7021	IEC 61587-1, IEC 61587-2, IEC 60529	Steel
20630-302	600 mm	800 mm	Black Grey	RAL 7021	IEC 61587-1, IEC 61587-2, IEC 60529	Steel
20630-304	600 mm	1200 mm	Black Grey	RAL 7021	IEC 61587-1, IEC 61587-2, IEC 60529	Steel
20630-305	800 mm	600 mm	Black Grey	RAL 7021	IEC 61587-1, IEC 61587-2, IEC 60529	Steel
20630-306	800 mm	800 mm	Black Grey	RAL 7021	IEC 61587-1, IEC 61587-2, IEC 60529	Steel
20630-307	800 mm	1000 mm	Black Grey	RAL 7021	IEC 61587-1, IEC 61587-2, IEC 60529	Steel

CatalogNumber	Width	Depth	Color	Color Code	Complies With	Material
20630-303	1000 mm	1000 mm	Black Grey	RAL 7021	IEC 61587-1, IEC 61587-2, IEC 60529	Steel
20630-308	1200 mm	1200 mm	Black Grey	RAL 7021	IEC 61587-1, IEC 61587-2, IEC 60529	Steel

Table 2/2

Catalog Number	Product Type	Protection Rating	Type	Works With
20630-301	Cabinet/Rack Base	IP55	Base Plate, Plain	Varistar CP
20630-302	Cabinet/Rack Base	IP55	Base Plate, Plain	Varistar CP
20630-304	Cabinet/Rack Base	IP55	Base Plate, Plain	Varistar CP
20630-305	Cabinet/Rack Base	IP55	Base Plate, Plain	Varistar CP
20630-306	Cabinet/Rack Base	IP55	Base Plate, Plain	Varistar CP
20630-307	Cabinet/Rack Base	IP55	Base Plate, Plain	Varistar CP
20630-303	Cabinet/Rack Base	IP55	Base Plate, Plain	Varistar CP
20630-308	Cabinet/Rack Base	IP55	Base Plate, Plain	Varistar CP

## ADDITIONAL PRODUCT DETAILS

This base plate is used for applications which don't require cable entry from the base.

Please purchase the grounding kit separately.

## WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

**CADDY   ERICO   HOFFMAN   ILSCO   SCHROFF   TRACHTE**