

# Foam Rubber Pad



The Vibration Isolation Pad line from nVent CADDY is designed to reduce noise, dampen vibrations, and stabilize equipment. These pads serve various purposes—from isolating machinery to enhancing audio quality—and are typically used on stiff, supporting structures with mid-to-high frequency vibration sources. The pads can be placed beneath machinery and equipment to provide reinforcement and durability while minimizing noise and vibration and are offered in multiple surface formats to meet unique application needs.

# **FEATURES**

Used to support pumps, motors, air conditioning units and generators

Designed for outdoor use where high resistance to water, oil and other damaging substances is required

Free from chlorine, halogens, formaldehydes, CFC's, HCFC's and phthalates

Flame-resistant due to closed cell construction

#### **SPECIFICATIONS**

Table 1/1					
Catalog Number	Article Number	Length	Width	Height	Ultimate Static Load
VIBFVIP66	801413	152.4mm	152.4mm	25.4mm	ON
VIBFVIP44	801412	101.6mm	101.6mm	25.4mm	ON
VIBFVIP1818	801414	457.2mm	457.2mm	25.4mm	ON
VIBFVIP22	801411	50.8mm	50.8mm	25.4mm	ON

### **WARNING**

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

#### **North America**

+1.800.753.9221 Option 1 – Customer Care Option 2 – Technical Support

# Europe

Netherlands: +31 800-0200135 France: +33 800 901 793

# **Europe**

Germany: 800 1890272 Other Countries: +31 13 5835404

# **APAC**

Shanghai: + 86 21 2412 1618/19 Sydney: +61 2 9751 8500



Our powerful portfolio of brands:

CADDY

**ERICO** 

**HOFFMAN** 

**ILSCO** 

**SCHROFF** 

**TRACHTE** 





©2025 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without notice.