

2 Hole Lug, GL Style



FEATURES

Provides an efficient bolting surface for grounding and power applications

Electrolytic grade copper

For use with nVent ERICO Cadweld type GL connections only

SPECIFICATIONS

Material: CopperFinish: Tinned


Table 1/2							
Catalog Number	Article Number	Туре	Height (H)	Length (L)	Width (W)	Thickness (T)	
B122CE	183660	NEMA®	11.18 mm	81.03mm	25.4 mm	3.18 mm	
B123CE03		Non-NEMA®	11.18 mm	62.74mm	25.4 mm	3.18 mm	
B122DE		NEMA®	11.18 mm	82.55mm	25.4 mm	4.76 mm	
B122DE002		NEMA®	11.18 mm	62.74mm	25.4 mm	4.76 mm	
B122EE		NEMA®	11.18 mm	82.55mm	25.4 mm	6.35 mm	


CatalogNumber	Article Number	Туре	Height (H)	Length (L)	Width (W)	Thickness (T)
B122EG		NEMA®	11.18 mm	82.55mm	38.1 mm	6.35 mm
B122EG002		Non-NEMA®	11.18 mm	82.55mm	82.55 mm	6.35 mm
B123EG03		Non-NEMA®	11.18 mm	82.55mm	38.1 mm	6.35 mm

Table 2/2							
Catalog Number	Article Number	A	В	Hole Size (HS)	Angle (a)	Equivalent Conductor Size	
B122CE	183660	15.9 mm	44.45 mm	14.29 mm	90 °	80.63mm²	
B123CE03		15.9 mm	44.45 mm	11.11 mm	90 °	80.63mm²	
B122DE		15.9 mm	44.45 mm	14.29 mm	90 °	120.94mm²	
B122DE002		15.9 mm	44.45 mm	11.11 mm	90 °	120.94mm²	
B122EE		15.9 mm	44.45 mm	14.29 mm	90 °	161.26mm²	
B122EG		15.9 mm	44.45 mm	14.29 mm	90 °	241.89mm²	
B122EG002		15.9 mm	44.45 mm	17.46 mm	45 °	524.09mm²	
B123EG03		15.9 mm	44.45 mm	11.11 mm	90 °	241.89mm²	

ADDITIONAL PRODUCT DETAILS

For sizes not listed, contact us.





WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America

+1.800.753.9221 Option 1 – Customer Care Option 2 – Technical Support Europe

Netherlands: +31 800-0200135 France:

+33 800 901 793

Europe

Germany: 800 1890272 Other Countries: +31 13 5835404 **APAC**

Shanghai: + 86 21 2412 1618/19 Sydney:

+61 2 9751 8500

TRACHTE



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF