

MONI-PT100-EXE RTD Sensor Assembly for Hazardous Areas



nVent RAYCHEM MONI-PT100-EXE is a three-wire platinum resistance temperature detector (RTD), supplied with glass fiber reinforced polycarbonate junction box. Suitable for hazardous areas.

FEATURES

Simple and fast to install: M20 EEx e cable gland is preinstalled, supplied with glass fiber reinforced polycarbonate junction box and 4 front entry cage clamp terminals

SPECIFICATIONS

Table 1/2							
Catalog Number	Item Name	Housing Material	Mounting	Measuring Range	Area Classification	Cable Length	
967094-000	MONI-PT100- EXE	Glass Fibre Reinforced Polyester	Bracket	-100 to 500 °C	Zone 1	2 m	

Table 2/2					
Catalog Number	Item Name	Fixed Cable to Sensor			
967094-000	MONI-PT100-EXE	Yes			

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America

Tel +1.800.545.6258 Fax +1.800.527.5703 thermal.info@nvent.com Europe, Middle East, Africa

Tel +32.16.213.511 Fax +32.16.213.604 thermal.info@nvent.com **Asia Pacific**

Tel +86.21.2412.1688 Fax +86.21.5426.3167 cn.thermal.info@nvent.com **Latin America**

Tel +1.713.868.4800 Fax +1.713.868.2333 thermal.info@nvent.com