

FroStop Self-Regulating Heating Cable



nVent RAYCHEM Frostop self-regulating trace heating cables provide energy efficient and easy to use solutions for pipe freeze protection and and roof and gutter de-icing.

FEATURES

Simple to design

Easy to install: cut to length, meter marks

Energy efficient and safe: self-regulating cable, advanced energy saving controls, no overheating possible

Reliable during long life: 10 year product warranty available, maintenance free

SPECIFICATIONS

Table 1/3								
Catalog Number	Item Name	Supply Voltage	Nominal Voltage	Nominal Power Output @ 5°C, 230V	Outer Jacket Material	Max Circuit Length		
559303-000	FROSTOP- BLACK- RANDOM	220 – 240 V	220 V, 230 V, 240 V	18 W/m	Modified Polyolefin	80 m		

Table 2/3							
Catalog Number	Item Name	Color	Nominal Width	Nominal Height	Ground Path Type	Min Installation Temperature	
559303-000	FROSTOP- BLACK- RANDOM	Black	10.5 mm	5.5 mm	Braid	-18 °C	

Table 3/3						
Catalog Number	Item Name	Conductor Material	Min Bending Radius	Nominal Thickness		

FROSTOP-BLACK-RANDOM Nickel-Plated Copper 10 mm 5.5 mm

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America

Tel +1.800.545.6258 Fax +1.800.527.5703 thermal.info@nvent.com Europe, Middle East, Africa

Tel +32.16.213.511 Fax +32.16.213.604 thermal.info@nvent.com Asia Pacific

Tel +86.21.2412.1688 Fax +86.21.5426.3167 cn.thermal.info@nvent.com Latin America

Tel +1.713.868.4800 Fax +1.713.868.2333 thermal.info@nvent.com

Our powerful portfolio of brands: