

nVent ERICO Cadweld Welding Material, Cathodic F33

Data Solutions



FEATURES

Mixture consists mainly of copper oxide and aluminum

Primarily used in cathodic protection applications on cable to steel or stainless steel

Welding material is in the top of the tube and starting material is in the bottom of the tube

Packaged by size in plastic tubes with green caps

Tubes packaged in plastic boxes along with metal disks

Each welded connection uses a single disk

Non-explosive

Not subject to spontaneous ignition

See specific nVent ERICO Cadweld connection details to determine welding material requirements

SPECIFICATIONS

Catalog Number	Article Number
65F33	
90F33	

Catalog Number	Article Number
CA15	163200
CA15S	
CA25	163210
CA32	163220
CA45	163230
CA65	163240
CA90	

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

⚠ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE