

# MTCA.4 System for 12 Double Mid-Size AMC Modules



The system is designed for high-performance applications with a high level of availability, where redundancy of all components is required. The two redundant hot-swap fan modules with EMMC in push-pull configuration ensure that the front and rear slots are properly cooled. The fan speed is controlled independently for front and rear and is set via the MCH. Cable trays on the front and rear of the enclosure simplify cable management. The system can take up to four power modules to ensure a sufficient power supply for the application. The backplane features clock and trigger lines per PICMG MTCA.4, as well as interlocks. It also provides direct connections for SAS/SATA and lines between the AMCs

## **CERTIFICATIONS**





# **FEATURES**

In accordance with PICMG MTCA.4 R1.0 specification

9 U, 84 HP system for 12 Double Mid-Size AdvancedMC modules, 2 Double Full-Size MCHs, and 4 Double Full-Size power modules

12 rear transition module slots for Double Mid-Size RTMs

Backplane with dual star topology, direct connections for S-ATA / SAS, clock and trigger lines per PICMG MTCA.4

Telecom and fabric clock topology per PICMG AMC.0 R2.0

2 hot-swap fan modules with cooling unit manager (CU EMMC), airflow from bottom front to top rear

Optionally fan speeds for front and rear sections can be separately adjusted via the MCH

## **SPECIFICATIONS**

Table 1/3						
Catalog Number	Product Type	Number of Slots	Туре	Backplane Type	Data Transfer	Power per Slot

11850-026	System	12	19" Rack Mount	MTCA.4 Dual Star Topology	40 GbE, PCIe Gen3	80W
11850-027	System	12	19" Rack Mount	MTCA.4 Dual Star Topology, JSM, White Rabbit	40 GbE, PCIe Gen3	80W
11850-028	System	12	19" Rack Mount	MTCA.4 Dual Star Topology, JSM	40 GbE, PCIe Gen3	80W
11850-030	System	12	19" Rack Mount	Data Aggregation Topology, JSM	40 GbE, PCIe Gen3	80W
11850-031	System	12	19" Rack Mount	Data Aggregation Topology, JSM, White Rabbit	40 GbE, PCIe Gen3	80W

Table 2/3							
Catalog Number	Airflow Direction	Rack Height	Power Supply Type	Power Supply Included	Rear I/O	Complies With	
11850-026	Front to Rear	9U	(4) Double Full- size PM	No	Yes	PICMG MTCA.4 R1.0	
11850-027	Front to Rear	9U	(4) Double Full- size PM	No	Yes	PICMG MTCA.4 R1.0	
11850-028	Front to Rear	9U	(4) Double Full- size PM	No	Yes	PICMG MTCA.4 R1.0	
11850-030	Front to Rear	9U	(4) Double Full- size PM	No	Yes	PICMG MTCA.4 R1.0	
11850-031	Front to Rear	9U	(4) Double Full- size PM	No	Yes	PICMG MTCA.4 R1.0	

Table 3/3							
Catalog Number	Depth	Height	Package Quantity	Certifications	Quick Ship		
11850-026	373.3mm	400.05mm	1	RoHS, PICMG	No		
11850-027	373.3mm	400.05mm	1	PICMG, RoHS	No		
11850-028	373.3mm	400.05mm	1		No		
11850-030	373.3mm	400.05mm	1		No		

Catalog Number	Depth	Height	Package Quantity	Certifications	Quick Ship
11850-031	373.3mm	400.05mm	1		No

## ADDITIONAL PRODUCT DETAILS

Modified systems available on request.

#### **WARNING**

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

# **North America**

All locations +1.763.422.2661 Chat with us: nvent.com/schroff

# Europe

Straubenhardt, Germany +49.7082.794.0 Betschdorf, France +33.3.88.90.64.90 Warsaw, Poland +48.22.209.98.35 Assago, Italy +39.02.932.7141 Chat with us: nvent.com/schroff

# Asia

Shanghai, China +86.21.2412.6943 Qingdao, China +86.532.8771.6101 Singapore +65.6768.5800 Shin-Yokohama, Japan +81.45.476.0271 Chat with us: nvent.com/schroff

# Middle East & India

Dubai, United Arab Emirates +971.4.378.1700 Bangalore, India +91.80.6715.2001 Istanbul, Turkey +90.216.250.7374 Chat with us: nvent.com/schroff



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE