


Novastar 19" Panel/Slide Mount



Novastar 19" Panel/Slide Mount Kit with load capacity of 400 kg, ensures easy fitting of 19" components to depth members.

CERTIFICATIONS



FEATURES

For recessed installation of 19" components

For fitting to depth members (25 mm grid)

Load carrying capacity 400 kg

SPECIFICATIONS

Product Type: Slide Mount

Material: Steel

| Table 1/2 | | | | | | | | |
|-------------------|-------------|---------------------|------------|------------|---------------|-----------|--|--|
| Catalog Number | Rack Height | Package Quantity | Color | Color Code | Finish | Height | | |
| 27230-172 | 6U | 2 | Black Grey | RAL 7021 | Powder Coated | 267.1mm | | |
| 27230-173 | 9U | 2 | Black Grey | RAL 7021 | Powder Coated | 400.45mm | | |
| 27230-174 | 12U | 2 | Black Grey | RAL 7021 | Powder Coated | 533.8mm | | |
| 27230-175 | 16U | 2 | Black Grey | RAL 7021 | Powder Coated | 711.6mm | | |
| 27230-176 | 20U | 2 | Black Grey | RAL 7021 | Powder Coated | 889.4mm | | |
| 27230-177 | 25U | 2 | Black Grey | RAL 7021 | Powder Coated | 1111.65mm | | |
| 27230-178 | 34U | 2 | Black Grey | RAL 7021 | Powder Coated | 1511.7mm | | |
| 27230-179 | 38U | 2 | Black Grey | RAL 7021 | Powder Coated | 1689.5mm | | |
| 27230-180 | 43U | 2 | Black Grey | RAL 7021 | Powder Coated | 1911.75mm | | |
| 27230-181 | 47U | 2 | Black Grey | RAL 7021 | Powder Coated | 2089.55mm | | |
| 27230-197 | 29U | 2 | Black Grey | RAL 7021 | Powder Coated | 1291mm | | |

| Table 2/2 | | | | | | | |
|----------------|--------------|----------------|------------|--|--|--|--|
| Catalog Number | Package Unit | Certifications | Quick Ship | | | | |
| 27230-172 | Pair | RoHS | No | | | | |
| 27230-173 | Pair | RoHS | No | | | | |
| 27230-174 | Pair | RoHS | No | | | | |
| 27230-175 | Pair | RoHS | No | | | | |
| 27230-176 | Pair | RoHS | No | | | | |

| Catalog Number | Package Unit | Certifications | Quick Ship |
|----------------|--------------|----------------|------------|
| 27230-177 | Pair | RoHS | No |
| 27230-178 | Pair | RoHS | No |
| 27230-179 | Pair | RoHS | No |
| 27230-180 | Pair | RoHS | No |
| 27230-181 | Pair | RoHS | No |
| 27230-197 | | | No |

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America

All locations +1.763.422.2661 Chat with us: nvent.com/schroff

Europe

Straubenhardt, Germany +49.7082.794.0 Betschdorf, France +33.3.88.90.64.90 Warsaw, Poland +48.22.209.98.35 Assago, Italy +39.02.932.7141 Chat with us: nvent.com/schroff

Asia

Shanghai, China +86.21.2412.6943 Qingdao, China +86.532.8771.6101 Singapore +65.6768.5800 Shin-Yokohama, Japan +81.45.476.0271 Chat with us: nvent.com/schroff

Middle East & India

Dubai, United Arab **Emirates** +971.4.378.1700 Bangalore, India +91.80.6715.2001 Istanbul, Turkey +90.216.250.7374 Chat with us: nvent.com/schroff



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE