


Lug or Busbar to Steel

Data Solutions



nVent ERICO Cadweld graphite molds are designed and engineered for thousands of connection styles and conductor combinations.

FEATURES

Forms a permanent, low resistance connection

Provides a molecular bond

nVent ERICO Cadweld Exothermic Connections are rated with the same current capacity as the conductor

Portable installation equipment with no external source of power required

Installers can be easily trained to make nVent ERICO Cadweld Exothermic Connections

Connections can be visually inspected

SPECIFICATIONS

Table 1/1

Catalog Number	Article Number	Mold Family	Lug/Busbar Size	Connects To
BWCAF		BW Mold Family	1/16" x 1 1/4"	Steel Surface
BWDJH		BW Mold Family	1/2" x 2"	Steel Surface
HLCEG		HL Mold Family	1/4" x 1 1/2"	Steel Surface
BWCEF		BW Mold Family	1/4" x 1 1/4"	Steel Surface

Catalog Number	Article Number	Mold Family	Lug/Busbar Size	Connects To
CGCEF		CG Mold Family	1/4" x 1 1/4"	Steel Surface
CGDEH		CG Mold Family	1/4" x 2"	Steel Surface
DFFEHLH		DF Mold Family	1/4" x 2"	Steel Surface
CCCEH		CC Mold Family	1/4" x 2" and wider	Steel Surface
CFDEHRH		CF Mold Family	1/4" x 2" and wider	Steel Surface
CGKEM		CG Mold Family	1/4" x 4"	Steel Surface
BWCCG		BW Mold Family	1/8" x 1 1/2"	Steel Surface
BWCBAK	240268	BW Mold Family	2 mm x 30 mm	Steel Surface
CCCBK		CC Mold Family	2 mm x 30 mm	Steel Surface
CGCBK		CG Mold Family	2 mm x 30 mm	Steel Surface
CHCBK		CH Mold Family	2 mm x 30 mm	Steel Surface
BWCCAJ	221730	BW Mold Family	3 mm x 25 mm	Steel Surface
BWCCAM		BW Mold Family	3 mm x 50 mm	Steel Surface
CHCDG		CH Mold Family	3/16" x 1 1/2" and wider	Steel Surface
BWCDE		BW Mold Family	3/16" x 1"	Steel Surface
CFCDELH		CF Mold Family	3/16" x 1"	Steel Surface
CGCDE		CG Mold Family	3/16" x 1"	Steel Surface
BWCDG		BW Mold Family	3/16" x 1/2"	Steel Surface

Catalog Number	Article Number	Mold Family	Lug/Busbar Size	Connects To
BWCEAL	223701	BW Mold Family	4 mm x 40 mm	Steel Surface
CGCEAL		CG Mold Family	4 mm x 40 mm	Steel Surface
CGCFAK	240391	CG Mold Family	5 mm x 30 mm	Steel Surface
BWCFAL		BW Mold Family	5 mm x 40 mm	Steel Surface
CHCPAJ		CH Mold Family	6 mm x 25 mm and wider	Steel Surface
CHCPAL		CH Mold Family	6 mm x 40 mm and wider	Steel Surface
BWDPAM		BW Mold Family	6 mm x 50 mm	Steel Surface

ADDITIONAL PRODUCT DETAILS

For applications such as computer room, tunnel or other low-ventilation areas, specify a smokeless nVent ERICO Cadweld Exolon mold. Add an XL prefix to the standard mold part number when ordering (for example, a TAC2Q2Q becomes XLTAC2Q2Q). Similarly, nVent ERICO Cadweld Exolon welding material is also designated by the XL prefix (for example, 150 becomes XL150).

A test weld should be made to check for the possibility of burn through on thin sections and to determine detrimental metallurgical effects.

XX-X-XX-L-M-W		
XX	Mold Family	
X	Price Key	
XX	Lug/Busbar Size	
L*	Split Crucible	Crucible section is split on molds designed with horizontal opening for easier cleaning
M*	Mold Only	
W*	Wear Plates	Reduce mechanical abrasion of molds at cable entry points

* Empty if none

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE