

# nVent CADDY All-in-One Stud-Mounted Without Mud Ring



#### **CERTIFICATIONS**





## **FEATURES**

Provides the flexibility to add a mud ring for non-standard drywall thicknesses

Box remains fixed in place when mud ring is removed

Includes multiple knockouts on each side of the box

Assemblies keyed for precise alignment when installed on both sides of a stud

Works with standard US and Canadian mud rings

# **SPECIFICATIONS**

Finish: Pregalvanized

Material: Steel

Table 1/2							
Catalog Number	Knockout Sizes	Ground Wire Included	Back Plate Pre- assembled	Box Volume	Depth (D)	A	
A1SF0GS	(8) 1/2", 3/4", (3) 1/2"	Yes	Yes	32.8in³	2 1/2"	5 3/4"	


CatalogNumber	Knockout Sizes	Ground Wire Included	Back Plate Pre- assembled	Box Volume	Depth (D)	A
A1SD0NS	(5) 1/2", 3/4", (1) 1/2", (3) 1"	No	Yes	32.8in³	2 1/2"	5 3/4"
A1SF0G	(8) 1/2", 3/4", (3) 1/2"	Yes	Yes	32.8in³	3 5/8"	5 3/4"
A1SF0N	(8) 1/2", 3/4", (3) 1/2"	No	Yes	32.8in³	3 5/8"	5 3/4"


Table 2/2				
Catalog Number	В			
A1SF0GS	5 1/8"			
A1SD0NS	5 1/8"			
A1SF0G	5 1/8"			
A1SF0N	5 1/8"			

# ADDITIONAL PRODUCT DETAILS

Ground wire pigtail is 10".

## **DIAGRAMS**





### **WARNING**

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

#### **North America**

+1.800.753.9221 Option 1 – Customer Care Option 2 – Technical Support

# Europe

Netherlands: +31 800-0200135 France: +33 800 901 793

#### **Europe**

Germany: 800 1890272 Other Countries: +31 13 5835404

#### **APAC**

Shanghai: + 86 21 2412 1618/19 Sydney: +61 2 9751 8500



Our powerful portfolio of brands:

**CADDY** 

**ERICO** 

**HOFFMAN** 

**ILSCO** 

**SCHROFF** 

**TRACHTE** 

