

Multi Attachment

Data Solutions



CERTIFICATIONS











FEATURES

Disperses load over two anchors

Minimizes the number of installed braces needed for concrete and wood structures

Ideal for deck installations

Use for both lateral and longitudinal sway brace applications

Meets NFPA®-13 requirements for seismic sway bracing

Meets CEN/TS 17551:2021 requirements for Seismic Sway Bracing

SPECIFICATIONS

Finish: Electrogalvanized

Material: Steel

Table 1/1						
Catalog Number	Hole Size 1 (HS1)	Hole Size 2 (HS2)	A	В	С	D

CSBMA050050 EG	0.5625in	0.5625in	12in	2.5in	2.5in	9in
CSBMA050075 EG	0.8125in	0.5625in	12in	2.5in	2.5in	9in

ADDITIONAL PRODUCT DETAILS

Mount to structure using holes indicated in HS1.


Structure Attachment and Brace Member are not included.

UL Loads					
Part Number	Structure Attachment Fitting	Brace Member	Load Rating		
CSBMA050050	CSBU1	1" - 2" Sch. 40 NPS	680 lb		
	CSBUNIV050	1" - 2" Sch. 40 NPS	680 lb		
		CSB12CBL	418 lb		
	CSBURC12	CSB18CBL	772 lb		
		CSB36CBL	1100 lb		
	CSBNPC12	CSB12CBL	418 lb		
		CSB18CBL	772 lb		
		CSB36CBL	1300 lb		
	CSBU1	1" - 2" Sch. 40 NPS	680 lb		
	CSBUNIV050	1" - 2" Sch. 40 NPS	680 lb		
		CSB12CBL	418 lb		
ODNA 4 0 F 0 0 7 F	CSBURC12	CSB18CBL	772 lb		
CSBMA050075		CSB36CBL	1100 lb		
		CSB12CBL	418 lb		
	CSBNPC12	CSB18CBL	772 lb		
		CSB36CBL	1300 lb		

FM Loads						
Dort Number	Horizontal Capacity per Installation Angle from Vertical					
Part Number	30° - 44°	45° - 59°	60° - 74°	75° - 90°		
CSBMA050050EG	3,290 lb	4,520 lb	5,540 lb	6,200 lb		
CSBMA050075EG	3,290 lb	4,520 lb	5,540 lb	6,200 lb		

DIAGRAMS







WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN TRACHTE ILSCO SCHROFF