

CleanTray Cross



Clean Tray Crosses are used for routing Clean Tray cables in four directions. The Clean Tray stainless steel system is designed to protect rated cabling in applications that require frequent washdown.

FEATURES

Clean Tray Crosses are used for routing Clean Tray cables in four directions

The Clean Tray stainless steel system is designed to protect rated cabling in applications that require frequent washdown

SPECIFICATIONS

Finish: Brushed #3

Material: Stainless Steel 304

Table 1/1

Catalog Number	Article Number	Type	Height	Width	Thickness	Quick Ship
CT22CSS	15791	Cross Fitting	2in	2in	18ga	No
CT33CSS	15792	Cross Fitting	3in	3in	18ga	No
CT44CSS	15793	Cross Fitting	4in	4in	18ga	No
CT46CSS	15794	Cross Fitting	4in	6in	18ga	No
CT66CSS	15795	Cross Fitting	6in	6in	18ga	No
CTS33CSS	16605	Cross Fitting	3in	3in	18ga	No
CTS33PCSS	16647	Cross Fitting	3in	3in	18ga	No
CTS44CSS	16606	Cross Fitting	4in	4in	18ga	No
CTS44PCSS	16648	Cross Fitting	4in	4in	18ga	No
CTS46CSS	16607	Cross Fitting	4in	6in	18ga	No
CTS46PCSS	16651	Cross Fitting	4in	6in	18ga	No
CTS66CSS	16608	Cross Fitting	6in	6in	18ga	No
CTS66PCSS	16652	Cross Fitting	6in	6in	18ga	No
CT22PCSS	16573	Cross Fitting	2in	2in	18ga	No
CT33PCSS	16574	Cross Fitting	3in	3in	18ga	No
CT44PCSS	16575	Cross Fitting	4in	4in	18ga	No
CT46PCSS	16576	Cross Fitting	4in	6in	18ga	No

Catalog Number	Article Number	Type	Height	Width	Thickness	Quick Ship
CT66PCSS	16577	Cross Fitting	6in	6in	18ga	No

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE