

# WinterGard Wet Self-Regulating Heating Cable



nVent RAYCHEM WinterGard Wet self-regulating trace heating cables provide energy efficient and easy to use solutions for pipe freeze protection and roof and gutter deicing.

## **FEATURES**

Simple to design

Easy to install: cut to length, meter marks

Energy efficient and safe: self regulating cable, advanced energy saving controls, no overheating possible

Reliable during long life: 2 year product warranty available, maintenance free

# **SPECIFICATIONS**

Nominal Thickness: 0.22 in
Nominal Width: 0.415 in
Ground Path Type: Braid

Outer Jacket Material: Modified Polyolefin

Table 1/1								
Catalog Number	Item Name	Nominal Voltage	Nominal Power Output @ 40°F, 120V	Nominal Power Output @ 40°F, 240V	Suitable for Pipe Size up to			
037453-000	H612-500	120 V	6 W/ft		6 in			
196811-000	H612-050	120 V	6 W/ft		6 in			
203365-000	H622-1000	240 V		6 W/ft	6 in			
278989-000	H612-250	120 V	6 W/ft		6 in			

Catalog Number	Item Name	Nominal Voltage	Nominal Power Output @ 40°F, 120V	Nominal Power Output @ 40°F, 240V	Suitable for Pipe Size up to
301635-000	H622-050	240 V		6 W/ft	6 in
591185-000	H622-250	240 V		6 W/ft	6 in
652037-000	H622-500	240 V		6 W/ft	6 in
848237-000	H612-1000	120 V	6 W/ft		6 in

#### **WARNING**

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

## North America

Tel +1.800.545.6258 Fax +1.800.527.5703 thermal.info@nvent.com Europe, Middle East, Africa Tel +32.16.213.511

Fax +32.16.213.604 thermal.info@nvent.com Asia Pacific

Tel +86.21.2412.1688 Fax +86.21.5426.3167 cn.thermal.info@nvent.com Latin America

Tel +1.713.868.4800 Fax +1.713.868.2333 thermal.info@nvent.com