

# MONI-PT100-EXE-SENSOR RTD Sensor for Hazardous Areas



nVent RAYCHEM MONI-PT100-EXE-SENSOR is a three-wire platinum resistance temperature detector (RTD), typically used with control and monitoring systems when accurate temperature control is required in hazardous areas.

# **FEATURES**

Simple and fast to install: M20 EEx e cable gland is preinstalled

Temperature measuring range: -100 °C to +500 °C

Reliable during long life, 6 year product warranty available, maintenance free

## **SPECIFICATIONS**

Table 1/2									
Catalog Number	Item Name	E-Number	Material	Mounting	Sensor Type	Max Measuring Range			
529022-000	PT100-EXE- SENSOR	2615415	Stainless Steel	Bracket	PT100	500 °C			

Table 2/2									
Catalog Number	Item Name	E-Number	Operating Temperature	Cable Length	Fixed Cable to Sensor				
529022-000	PT100-EXE- SENSOR	2615415	-50 to 60 °C	2 m	Yes				

### ADDITIONAL PRODUCT DETAILS

The measuring tip on the sensor should not be bent. Ambient operating temperature is applicable on the gland.

### **WARNING**

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

### **North America**

Tel +1.800.545.6258 Fax +1.800.527.5703 thermal.info@nvent.com Europe, Middle East, Africa

Tel +32.16.213.511 Fax +32.16.213.604 thermal.info@nvent.com Asia Pacific

Tel +86.21.2412.1688 Fax +86.21.5426.3167 cn.thermal.info@nvent.com Latin America

Tel +1.713.868.4800 Fax +1.713.868.2333 thermal.info@nvent.com