


Horizontal Rail Insulation Strip

Concessionárias de energia



Strip enables an insulated mounting of backplanes or metal plates as supports for connectors. Creates standardized mounting depth for plug-in units in the subrack in conjunction with L-ST and H-ST horizontal rails. Suitable for RatiopacPRO/-AIR, Propac Pro, CompacPRO and EuropacPRO/-Rugged.

CERTIFICAÇÕES



RECURSOS

For insulated mounting of backplanes or metal plates as supports for connectors

Creates standardised mounting depth for plug-in units in the subrack in conjunction with L-ST and H-ST horizontal rails

ESPECIFICAÇÕES

Table 1/2

Número do catálogo	Rack Width	Package Quantity	Classificação de inflamabilidade	Comprimento	Material	Product Family
24560-820	20 HP	10	UL® 94V-0	101.5 mm	Polycarbonato	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac

Número do catálogo	Rack Width	Package Quantity	Classificação de inflamabilidade	Comprimento	Material	Product Family
24560-884	84 HP	10	UL® 94V-0	428.64 mm	Polycarbonato	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac
24560-828	28 HP	10	UL® 94V-0	144.2 mm	Polycarbonato	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac
24560-840	40 HP	10	UL® 94V-0	205.12 mm	Polycarbonato	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac
24560-842	42 HP	10	UL® 94V-0	210.4 mm	Polycarbonato	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac
24560-863	63 HP	10	UL® 94V-0	316.88 mm	Polycarbonato	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac

Table 2/2

Número do catálogo	Product Type	Works With
24560-820	Insulation Strip	Subracks, Cases
24560-884	Insulation Strip	Subracks, Cases
24560-828	Insulation Strip	Subracks, Cases

Número do catálogo	Product Type	Works With
24560-840	Insulation Strip	Subracks, Cases
24560-842	Insulation Strip	Subracks, Cases
24560-863	Insulation Strip	Subracks, Cases

ADDITIONAL PRODUCT DETAILS

Please take into consideration that deliveries may be carried out in the stated SPQs (SPQ, e.g. 5 pieces, 10 pieces, 50 pieces, etc.). Differing order quantities (e.g. 2 pieces) may be changed to the next possible delivery quantity = Standard Pack Quantity.

AVISO

Os produtos nVent devem ser instalados e utilizados apenas conforme indicado nas fichas de instrução do produto e materiais de treinamento da nVent. As fichas de instrução estão disponíveis em www.nVent.com e com nossos representantes de atendimento ao cliente nVent. A instalação inadequada, uso incorreto, aplicação incorreta ou outra falha qualquer em seguir completamente as instruções e avisos da nVent podem levar ao mau funcionamento do produto, danos à propriedade, lesões corporais graves e morte, e/ou anular sua garantia.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE