

Speedway Cable Ladder



The SPEEDWAY Cable Ladder is the backbone of the SPEEDWAY Cable Ladder System. Highly engineered features help ensure a secure installation that complies with industry codes and standards for high-performance cables. The cable ladder is designed to efficiently accommodate field transitions utilizing the SPEEDLOK integrated coupling systems.

CERTIFICATIONS



FEATURES

Provides optimal support for high-performance low voltage and data cables

Easy cable ladder transitions with innovative SPEEDLOK integrated coupling system

Safety edge protects cables during installation

Slotted side channel, eliminating field drilling for cut-to-length applications

IEC 61537 load rating and earthing compliant

Responsive design and layout services, including seismic

SPECIFICATIONS


Finish: Hot-Dip Galvanized

Material: Сталь

Table 1/1								
Catalog Number	Article Number	Width (W)	Height (H)	A	В			
CL110X150HD	840000	150 mm	110 mm	25 mm	85 mm			

Catalog Number	Article Number	Width (W)	Height (H)	Α	В
CL110X300HD	840010	300 mm	110 mm	25 mm	85 mm
CL110X450HD	840020	450 mm	110 mm	25 mm	85 mm
CL110X750HD	840040	750 mm	110 mm	25 mm	85 mm
CL110X900HD	840050	900 mm	110 mm	25 mm	85 mm

DIAGRAMS



WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America

+1.800.753.9221 Option 1 – Customer Care Option 2 – Technical Support

Europe

Netherlands: +31 800-0200135 France: +33 800 901 793

Europe

Germany: 800 1890272 Other Countries: +31 13 5835404

APAC

Shanghai: + 86 21 2412 1618/19 Sydney: +61 2 9751 8500



Our powerful portfolio of brands:

CADDY

ERICO

HOFFMAN

ILSCO SCHROFF

TRACHTE

