

Certificate of Compliance

Certificate Number:

UL-US-L324325-82809002-
4

Report Reference:

E324325-20090828

Issue Date:

2025-04-30

Issued to:

ERICO INTERNATIONAL CORPORATION
34600 SOLON RD, SOLON, CUYAHOGA, OH, 44139-2631, US

This certificate confirms that representative samples of:

CYNW - Cable Trays, Metal

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NEMA VE 1, Issue Date 2017, NFPA 70, Edition 2023, NEMA BI 50015, Edition 6, Issue Date 2017-07, Revision Date 2024-05-31

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L324325-82809002-4
Report reference E324325-20090828
Date 2025-04-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Cable Trays

Model(s): EWB6X36

Model(s): WBT6X36 may be followed by suffix EG or XXX. (where EG suffix is denoting electrodeposited zinc coating finish and the XXX is denoting the various color designations for the powder coating).

Fittings, Preform Intersection

Model(s): 12" Preform L Bow may be followed by suffix EG or XXX. (where EG suffix is denoting electrodeposited zinc coating finish and the XXX is denoting the various color designations for the powder coating)

Model(s): 16" Preform L Bow, 18" Preform L Bow, 20" Preform L Bow, 22" Preform L Bow, 24" Preform L Bow, 4" Preform L Bow, 6" Preform L Bow, 8" Preform L Bow may be followed by suffix EG or XXX. (where EG suffix is denoting electrodeposited zinc coating finish and the XXX is denoting the various color designations for the powder coating).

Wire Mesh Cable Trays

Model(s): WBT12X12, WBT12X16, WBT12X18, WBT12X20, WBT2x10, WBT2x12, WBT2x14, WBT2x16, WBT2x18, WBT2x20, WBT2x22, WBT2x24, WBT2x4, WBT2x6, WBT2x8, WBT4X16, WBT4X18, WBT4X20, WBT4X22, WBT4X24, WBT4X26, WBT4X30, WBT4X32, WBT4X34, WBT4X36, WBT4x12, WBT4x28, WBT4x4, WBT4x6, WBT4x8, WBT6X16, WBT6X18, WBT6X20, WBT6X22, WBT6X24, WBT6X26, WBT6X28, WBT6X30, WBT6X32, WBT6X6, WBT6X8, WBT8X12, WBT8X16, WBT8X18, WBT8X20, WBT8X22, WBT8X24, WBT8X26, WBT8X28, WBT8X8, WBTL2X12, WBTL2X16, WBTL2X18, WBTL2X20, WBTL2X24, WBTL2X6, WBTL2X8, WBTL4X12, WBTL4X16, WBTL4X18, WBTL4X20, WBTL4X24, WBTL4X6, WBTL4X8 may be followed by suffix EG or XXX. (where EG suffix is denoting electrodeposited zinc coating finish and the XXX is denoting the various color designations for the powder coating).

Model(s): EWB12x12, EWB12x16, EWB12x18, EWB12x20, EWB2x10, EWB2x12, EWB2x14, EWB2x16, EWB2x18, EWB2x20, EWB2x22, EWB2x24, EWB2x4, EWB2x6, EWB2x8, EWB4x12, EWB4x16, EWB4x18, EWB4x20, EWB4x22, EWB4x24, EWB4x26, EWB4x28, EWB4x30, EWB4x32, EWB4x34, EWB4x36, EWB4x4, EWB4x6, EWB4x8, EWB6x12, EWB6x16, EWB6x18, EWB6x20, EWB6x22, EWB6x24, EWB6x26, EWB6x28, EWB6x30, EWB6x32, EWB6x6, EWB6x8, EWB8x12, EWB8x16, EWB8x18, EWB8x20, EWB8x22, EWB8x24, EWB8x26, EWB8x28, EWB8x8, WBT2X10CS, WBT2X10S, WBT2X12CS, WBT2X12S, WBT2X16CS, WBT2X16S, WBT2X18CS, WBT2X18S, WBT2X22CS, WBT2X22S, WBT2X24CS, WBT2X24S, WBT2X4CS, WBT2X4S, WBT2X6CS, WBT2X6S, WBT2X8CS, WBT2X8S, WBT4X12CS, WBT4X12S, WBT4X14CS, WBT4X14S, WBT4X16CS, WBT4X16S, WBT4X18CS, WBT4X18S, WBT4X20CS, WBT4X20S, WBT4X22CS, WBT4X22S, WBT4X24CS, WBT4X24S, WBT4X4CS, WBT4X4S, WBT4X6CS, WBT4X6S, WBT4X8CS, WBT4X8S, WBT6X12CS, WBT6X12S, WBT6X16CS, WBT6X16S, WBT6X18CS, WBT6X18S, WBT6X20CS, WBT6X20S, WBT6X22CS, WBT6X22S, WBT6X24CS, WBT6X24S, WBT6X8CS, WBT6X8S, WBT8X12CS, WBT8X12S, WBT8X16CS, WBT8X16S, WBT8X18CS, WBT8X18S, WBT8X20CS, WBT8X20S, WBT8X8CS, WBT8X8S, WBTL6X12, WBTL6X16, WBTL6X18, WBTL6X20, WBTL6X22, WBTL6X24, WBTL6X8, WBTL8X12, WBTL8X16, WBTL8X18, WBTL8X20, WBTL8X8 may be followed by suffix EG or XXX. (where EG suffix is denoting electrodeposited zinc coating finish and the XXX is denoting the various color designations for the powder coating).

Model(s): WBT6X12 may be followed by suffix XXX. (where the XXX is denoting the color for the powder coating).

Wire Mesh Under floor Cable Trays



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L324325-82809002-4
Report reference E324325-20090828
Date 2025-04-30

Model(s): WBT0X24X2, WBT2X12X2, WBT2X12X4, WBT2X24X2, WBT2X24X4, WBT4X12X2, WBT4X12X4, WBT4X24X2, WBT4X24X4, WBT6X12X2, WBT6X12X4, WBT6X24X2, WBT6X24X4, WBT8X12X2, WBT8X12X4, WBT8X24X2, WBT8X24X4 *may be followed by suffix XXX. (where the XXX is denoting the color for the powder coating).*



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-L324325-82809002-
3

Report Reference:

E324325-20090828

Issue Date:

2025-04-30

Issued to:

ERICO INTERNATIONAL CORPORATION

34600 SOLON RD, SOLON, CUYAHOGA, OH, 44139-2631, US

This certificate confirms that representative samples of:

CYNW7 - Cable Trays, Metal Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 NO. 126.1-17, 4th Ed., Issue Date: 2017-07

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L324325-82809002-3
Report reference E324325-20090828
Date 2025-04-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Wire Mesh Cable Trays

Model(s): WBT2x12, WBT2x16, WBT2x18, WBT2x20, WBT2x24, WBT2x6, WBT2x8, WBT4X16, WBT4X18, WBT4X20, WBT4X24, WBT4x12, WBT4x6, WBT4x8, WBT6X16, WBT6X18, WBT6X20, WBT6X22, WBT6X24, WBT6X8, WBT8X12, WBT8X16, WBT8X18, WBT8X20, WBT8X8, WBTL2X12, WBTL2X16, WBTL2X18, WBTL2X20, WBTL2X24, WBTL2X6, WBTL2X8, WBTL4X12, WBTL4X16, WBTL4X18, WBTL4X20, WBTL4X24, WBTL4X6, WBTL4X8 *may be followed by suffix EG or XXX. (where EG suffix is denoting electrodeposited zinc coating finish and the XXX is denoting the various color designations for the powder coating).*

Model(s): WBT2X10CS, WBT2X10S, WBT2X12CS, WBT2X12S, WBT2X16CS, WBT2X16S, WBT2X18CS, WBT2X18S, WBT2X22CS, WBT2X22S, WBT2X24CS, WBT2X24S, WBT2X4CS, WBT2X4S, WBT2X6CS, WBT2X6S, WBT2X8CS, WBT2X8S, WBT4X12CS, WBT4X12S, WBT4X14CS, WBT4X14S, WBT4X16CS, WBT4X16S, WBT4X18CS, WBT4X18S, WBT4X20CS, WBT4X20S, WBT4X22CS, WBT4X22S, WBT4X24CS, WBT4X24S, WBT4X4CS, WBT4X4S, WBT4X6CS, WBT4X6S, WBT4X8CS, WBT4X8S, WBT6X12CS, WBT6X12S, WBT6X16CS, WBT6X16S, WBT6X18CS, WBT6X18S, WBT6X20CS, WBT6X20S, WBT6X22CS, WBT6X22S, WBT6X24CS, WBT6X24S, WBT6X8CS, WBT6X8S, WBT8X12CS, WBT8X12S, WBT8X16CS, WBT8X16S, WBT8X18CS, WBT8X18S, WBT8X20CS, WBT8X20S, WBT8X8CS, WBT8X8S, WBTL6X12, WBTL6X16, WBTL6X18, WBTL6X20, WBTL6X22, WBTL6X24, WBTL6X8, WBTL8X12, WBTL8X16, WBTL8X18, WBTL8X20, WBTL8X8 *may be followed by suffix EG or XXX. (where EG suffix is denoting electrodeposited zinc coating finish and the XXX is denoting the various color designations for the powder coating).*

Model(s): WBT6X12 *may be followed by suffix XXX. (where the XXX is denoting the color for the powder coating).*

Wire Mesh Under floor Cable Trays

Model(s): WBT0X24X2, WBT2X12X2, WBT2X12X4, WBT2X24X2, WBT2X24X4, WBT4X12X2, WBT4X12X4, WBT4X24X2, WBT4X24X4, WBT6X12X2, WBT6X12X4, WBT6X24X2, WBT6X24X4, WBT8X12X2, WBT8X12X4, WBT8X24X2, WBT8X24X4 *may be followed by suffix XXX. (where the XXX is denoting the color for the powder coating).*



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-US-2420066-0

Report Reference:

E324325-20240524

Issue Date:

2024-06-04

Issued to:

**ERICO INTERNATIONAL CORPORATION
34600 SOLON RD SOLON, OH 44139-2631
United States**

This certificate confirms that representative samples of:

CYNW - Cable Trays, Metal

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NFPA 70, Edition 2023

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2420066-0
Report reference E324325-20240524
Date 2024-06-04

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
WBTQSPL	Wire mesh cable tray couplings
WBTQSPLS	Wire mesh cable tray couplings



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-2416137-0

Report Reference:

E324325-20240524

Issue Date:

2024-06-04

Issued to:

**ERICO INTERNATIONAL CORPORATION
34600 SOLON RD SOLON, OH 44139-2631
United States**

This certificate confirms that representative samples of:

CYNW7 - Cable Trays, Metal Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 NO. 126.1-17, 4th Ed., Issue Date: 2017-07

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2416137-0
Report reference E324325-20240524
Date 2024-06-04

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
WBTQSPL	Wire mesh cable tray couplings
WBTQSPLS	Wire mesh cable tray couplings



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

