

Horizontal Rail Insulation Strip

Energiföretag



Strip enables an insulated mounting of backplanes or metal plates as supports for connectors. Creates standardized mounting depth for plug-in units in the subrack in conjunction with L-ST and H-ST horizontal rails. Suitable for RatiopacPRO/-AIR, Propac Pro, CompacPRO and EuropacPRO/-Rugged.

CERTIFIERING



FUNKTIONER

For insulated mounting of backplanes or metal plates as supports for connectors

Creates standardised mounting depth for plug-in units in the subrack in conjunction with L-ST and H-ST horizontal rails

SPECIFIKATIONER

Table 1/2

Katalognummer	Rack Width	Package Quantity	Antändningsreferensvärde	Längd	Material	Product Family
24560-820	20 HP	10	UL® 94V-0	101.5 mm	Polykarbonat	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac

Katalognummer	Rack Width	Package Quantity	Antändningsreferensvärde	Längd	Material	Product Family
24560-884	84 HP	10	UL® 94V-0	428.64 mm	Polykarbonat	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac
24560-828	28 HP	10	UL® 94V-0	144.2 mm	Polykarbonat	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac
24560-840	40 HP	10	UL® 94V-0	205.12 mm	Polykarbonat	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac
24560-842	42 HP	10	UL® 94V-0	210.4 mm	Polykarbonat	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac
24560-863	63 HP	10	UL® 94V-0	316.88 mm	Polykarbonat	EuropacPRO, RatiopacPRO, RatiopacPRO AIR, CompacPRO, PropacPRO, Inpac

Table 2/2

Katalognummer	Product Type	Fungerar med
24560-820	Insulation Strip	Subracks, Cases
24560-884	Insulation Strip	Subracks, Cases
24560-828	Insulation Strip	Subracks, Cases

Katalognummer	Product Type	Fungerar med
24560-840	Insulation Strip	Subracks, Cases
24560-842	Insulation Strip	Subracks, Cases
24560-863	Insulation Strip	Subracks, Cases

ADDITIONAL PRODUCT DETAILS

Please take into consideration that deliveries may be carried out in the stated SPQs (SPQ, e.g. 5 pieces, 10 pieces, 50 pieces, etc.). Differing order quantities (e.g. 2 pieces) may be changed to the next possible delivery quantity = Standard Pack Quantity.

VARNING

nVent produkter ska installeras och användas endast så som anges i nVents bruksanvisning och utbildningsmaterial. Bruksanvisningar är tillgängliga på www.nvent.com och från din nVent kundtjänstrepresentant. Felaktig installation, missbruk, felapplicering eller annan brist i att helt följa nVents instruktioner och varningar kan orsaka att produkten brister, egendomsskador, allvarliga kroppsskador och dödsfall och/eller ogiltigförklara din garanti.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE