


Horizontal Rail Rear, Type AB for Rear I/O Board Guides, 40 HP

电力公用事业

物料号

34561-540



Combinations of horizontal rails and side panels

“+” = can be combined, “-” = combination not recommended

| | Aluminum 1.0 | Aluminum 1.5 | Aluminum 2.0 | Aluminum 2.5 |
|----------------|--------------|--------------|--------------|--------------|
| Aluminum 1.0 | - | + | + | + |
| Aluminum 1.5 | + | + | + | + |
| Aluminum 2.0 | + | + | + | + |
| Aluminum 2.5 | + | + | + | + |
| Aluminum 3.0 | - | - | - | - |
| Aluminum 3.5 | - | - | - | - |
| Aluminum 4.0 | - | - | - | - |
| Aluminum 4.5 | - | - | - | - |
| Aluminum 5.0 | - | - | - | - |
| Aluminum 5.5 | - | - | - | - |
| Aluminum 6.0 | - | - | - | - |
| Aluminum 6.5 | - | - | - | - |
| Aluminum 7.0 | - | - | - | - |
| Aluminum 7.5 | - | - | - | - |
| Aluminum 8.0 | - | - | - | - |
| Aluminum 8.5 | - | - | - | - |
| Aluminum 9.0 | - | - | - | - |
| Aluminum 9.5 | - | - | - | - |
| Aluminum 10.0 | - | - | - | - |
| Aluminum 10.5 | - | - | - | - |
| Aluminum 11.0 | - | - | - | - |
| Aluminum 11.5 | - | - | - | - |
| Aluminum 12.0 | - | - | - | - |
| Aluminum 12.5 | - | - | - | - |
| Aluminum 13.0 | - | - | - | - |
| Aluminum 13.5 | - | - | - | - |
| Aluminum 14.0 | - | - | - | - |
| Aluminum 14.5 | - | - | - | - |
| Aluminum 15.0 | - | - | - | - |
| Aluminum 15.5 | - | - | - | - |
| Aluminum 16.0 | - | - | - | - |
| Aluminum 16.5 | - | - | - | - |
| Aluminum 17.0 | - | - | - | - |
| Aluminum 17.5 | - | - | - | - |
| Aluminum 18.0 | - | - | - | - |
| Aluminum 18.5 | - | - | - | - |
| Aluminum 19.0 | - | - | - | - |
| Aluminum 19.5 | - | - | - | - |
| Aluminum 20.0 | - | - | - | - |
| Aluminum 20.5 | - | - | - | - |
| Aluminum 21.0 | - | - | - | - |
| Aluminum 21.5 | - | - | - | - |
| Aluminum 22.0 | - | - | - | - |
| Aluminum 22.5 | - | - | - | - |
| Aluminum 23.0 | - | - | - | - |
| Aluminum 23.5 | - | - | - | - |
| Aluminum 24.0 | - | - | - | - |
| Aluminum 24.5 | - | - | - | - |
| Aluminum 25.0 | - | - | - | - |
| Aluminum 25.5 | - | - | - | - |
| Aluminum 26.0 | - | - | - | - |
| Aluminum 26.5 | - | - | - | - |
| Aluminum 27.0 | - | - | - | - |
| Aluminum 27.5 | - | - | - | - |
| Aluminum 28.0 | - | - | - | - |
| Aluminum 28.5 | - | - | - | - |
| Aluminum 29.0 | - | - | - | - |
| Aluminum 29.5 | - | - | - | - |
| Aluminum 30.0 | - | - | - | - |
| Aluminum 30.5 | - | - | - | - |
| Aluminum 31.0 | - | - | - | - |
| Aluminum 31.5 | - | - | - | - |
| Aluminum 32.0 | - | - | - | - |
| Aluminum 32.5 | - | - | - | - |
| Aluminum 33.0 | - | - | - | - |
| Aluminum 33.5 | - | - | - | - |
| Aluminum 34.0 | - | - | - | - |
| Aluminum 34.5 | - | - | - | - |
| Aluminum 35.0 | - | - | - | - |
| Aluminum 35.5 | - | - | - | - |
| Aluminum 36.0 | - | - | - | - |
| Aluminum 36.5 | - | - | - | - |
| Aluminum 37.0 | - | - | - | - |
| Aluminum 37.5 | - | - | - | - |
| Aluminum 38.0 | - | - | - | - |
| Aluminum 38.5 | - | - | - | - |
| Aluminum 39.0 | - | - | - | - |
| Aluminum 39.5 | - | - | - | - |
| Aluminum 40.0 | - | - | - | - |
| Aluminum 40.5 | - | - | - | - |
| Aluminum 41.0 | - | - | - | - |
| Aluminum 41.5 | - | - | - | - |
| Aluminum 42.0 | - | - | - | - |
| Aluminum 42.5 | - | - | - | - |
| Aluminum 43.0 | - | - | - | - |
| Aluminum 43.5 | - | - | - | - |
| Aluminum 44.0 | - | - | - | - |
| Aluminum 44.5 | - | - | - | - |
| Aluminum 45.0 | - | - | - | - |
| Aluminum 45.5 | - | - | - | - |
| Aluminum 46.0 | - | - | - | - |
| Aluminum 46.5 | - | - | - | - |
| Aluminum 47.0 | - | - | - | - |
| Aluminum 47.5 | - | - | - | - |
| Aluminum 48.0 | - | - | - | - |
| Aluminum 48.5 | - | - | - | - |
| Aluminum 49.0 | - | - | - | - |
| Aluminum 49.5 | - | - | - | - |
| Aluminum 50.0 | - | - | - | - |
| Aluminum 50.5 | - | - | - | - |
| Aluminum 51.0 | - | - | - | - |
| Aluminum 51.5 | - | - | - | - |
| Aluminum 52.0 | - | - | - | - |
| Aluminum 52.5 | - | - | - | - |
| Aluminum 53.0 | - | - | - | - |
| Aluminum 53.5 | - | - | - | - |
| Aluminum 54.0 | - | - | - | - |
| Aluminum 54.5 | - | - | - | - |
| Aluminum 55.0 | - | - | - | - |
| Aluminum 55.5 | - | - | - | - |
| Aluminum 56.0 | - | - | - | - |
| Aluminum 56.5 | - | - | - | - |
| Aluminum 57.0 | - | - | - | - |
| Aluminum 57.5 | - | - | - | - |
| Aluminum 58.0 | - | - | - | - |
| Aluminum 58.5 | - | - | - | - |
| Aluminum 59.0 | - | - | - | - |
| Aluminum 59.5 | - | - | - | - |
| Aluminum 60.0 | - | - | - | - |
| Aluminum 60.5 | - | - | - | - |
| Aluminum 61.0 | - | - | - | - |
| Aluminum 61.5 | - | - | - | - |
| Aluminum 62.0 | - | - | - | - |
| Aluminum 62.5 | - | - | - | - |
| Aluminum 63.0 | - | - | - | - |
| Aluminum 63.5 | - | - | - | - |
| Aluminum 64.0 | - | - | - | - |
| Aluminum 64.5 | - | - | - | - |
| Aluminum 65.0 | - | - | - | - |
| Aluminum 65.5 | - | - | - | - |
| Aluminum 66.0 | - | - | - | - |
| Aluminum 66.5 | - | - | - | - |
| Aluminum 67.0 | - | - | - | - |
| Aluminum 67.5 | - | - | - | - |
| Aluminum 68.0 | - | - | - | - |
| Aluminum 68.5 | - | - | - | - |
| Aluminum 69.0 | - | - | - | - |
| Aluminum 69.5 | - | - | - | - |
| Aluminum 70.0 | - | - | - | - |
| Aluminum 70.5 | - | - | - | - |
| Aluminum 71.0 | - | - | - | - |
| Aluminum 71.5 | - | - | - | - |
| Aluminum 72.0 | - | - | - | - |
| Aluminum 72.5 | - | - | - | - |
| Aluminum 73.0 | - | - | - | - |
| Aluminum 73.5 | - | - | - | - |
| Aluminum 74.0 | - | - | - | - |
| Aluminum 74.5 | - | - | - | - |
| Aluminum 75.0 | - | - | - | - |
| Aluminum 75.5 | - | - | - | - |
| Aluminum 76.0 | - | - | - | - |
| Aluminum 76.5 | - | - | - | - |
| Aluminum 77.0 | - | - | - | - |
| Aluminum 77.5 | - | - | - | - |
| Aluminum 78.0 | - | - | - | - |
| Aluminum 78.5 | - | - | - | - |
| Aluminum 79.0 | - | - | - | - |
| Aluminum 79.5 | - | - | - | - |
| Aluminum 80.0 | - | - | - | - |
| Aluminum 80.5 | - | - | - | - |
| Aluminum 81.0 | - | - | - | - |
| Aluminum 81.5 | - | - | - | - |
| Aluminum 82.0 | - | - | - | - |
| Aluminum 82.5 | - | - | - | - |
| Aluminum 83.0 | - | - | - | - |
| Aluminum 83.5 | - | - | - | - |
| Aluminum 84.0 | - | - | - | - |
| Aluminum 84.5 | - | - | - | - |
| Aluminum 85.0 | - | - | - | - |
| Aluminum 85.5 | - | - | - | - |
| Aluminum 86.0 | - | - | - | - |
| Aluminum 86.5 | - | - | - | - |
| Aluminum 87.0 | - | - | - | - |
| Aluminum 87.5 | - | - | - | - |
| Aluminum 88.0 | - | - | - | - |
| Aluminum 88.5 | - | - | - | - |
| Aluminum 89.0 | - | - | - | - |
| Aluminum 89.5 | - | - | - | - |
| Aluminum 90.0 | - | - | - | - |
| Aluminum 90.5 | - | - | - | - |
| Aluminum 91.0 | - | - | - | - |
| Aluminum 91.5 | - | - | - | - |
| Aluminum 92.0 | - | - | - | - |
| Aluminum 92.5 | - | - | - | - |
| Aluminum 93.0 | - | - | - | - |
| Aluminum 93.5 | - | - | - | - |
| Aluminum 94.0 | - | - | - | - |
| Aluminum 94.5 | - | - | - | - |
| Aluminum 95.0 | - | - | - | - |
| Aluminum 95.5 | - | - | - | - |
| Aluminum 96.0 | - | - | - | - |
| Aluminum 96.5 | - | - | - | - |
| Aluminum 97.0 | - | - | - | - |
| Aluminum 97.5 | - | - | - | - |
| Aluminum 98.0 | - | - | - | - |
| Aluminum 98.5 | - | - | - | - |
| Aluminum 99.0 | - | - | - | - |
| Aluminum 99.5 | - | - | - | - |
| Aluminum 100.0 | - | - | - | - |

AB型铝挤出横梁(AB=支撑)用于后I/O导轨，具有阳极氧化处理的表面以及接触面导电性能。适用于 RatiopacPRO/-AIR 和 EuropacPRO/-rugged) 。

认证



功能

适用含后部 I/O 的 CompactPCI

For 2 × 3 U expansion, 2 horizontal rails of type AB are required

铝挤压件，阳极氧化表面，导电接触面，未带 HP 标记

产品属性

产品类别：水平横梁

产品系列：EuropacPRO; RatiopacPRO; RatiopacPRO AIR; CompacPRO; PropacPRO

类型：AB 型

机架宽度：40 HP

长度：208.28 mm

包装数量：1

ADDITIONAL PRODUCT DETAILS

以多个标准包装的形式交货. 以单件为单位定价。

Please take into consideration that deliveries may be carried out in the stated SPQs (SPQ, e.g. 5 pieces, 10 pieces, 50 pieces, etc.). Differing order quantities (e.g. 2 pieces) may be changed to the next possible delivery quantity = Standard Pack Quantity.

警告

应仅根据 nVent 的产品说明书与培训材料安装并使用 nVent 的产品。可访问 www.nvent.com 获取说明书，或者向您的 nVent 客服代表索取。错误安装、使用不当、滥用或未能完全遵守 nVent 的说明与警告，可能会造成产品故障、财产损失、严重的人身伤害及死亡和/或使得保修服务无效。



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE